
ViewSonic®

2026 | Q2

Product Portfolio










ViewBoard
myViewBoard
AirSync
Manager
ViewSonic
ViewSonic

ViewSonic
Product Portfolio

Contents

About ViewSonic	4
ViewBoards	6
Digital Displays	20
All-in-One LED Display	32
Monitors	50
Projectors	148
Software	202
Accessories	206
Sutainability & Recycling	220

About ViewSonic



About Us

Founded in 1987 and based in Brea, California, USA, ViewSonic is a global leader in visual and EdTech solutions, with a presence in over 100 countries.

With 39+ years of expertise, the company has grown from a monitor supplier into a multinational innovator, delivering in education, business, industrial and consumer markets.

Our portfolio spans displays from portable 5″ to custom large formats including interactive, commercial & all-in-one LED displays, monitors and projectors—enhanced by SaaS solutions, AI-powered technologies and interactive content.



Key Regional Offices

Europe

Miles Yard
10 Miles Street
SW8 1GX
London
United Kingdom

+44 20 7382 8250

America

10 Pointe Drive
Brea
California
92821
USA

+1 90 9444 8888

Asia Pacific

9F, No. 192
Lien Chen Road
Zhonghe Dist
New Taipei City
Taiwan

+886 2 2246 3456


Original Goals
What did we aim for?
Joseph
Original Plan
What did we do?

ViewBoards
Interactive Displays

Why ViewSonic? **8**

Standard 16:9
- Connectivity Pro 10
- Panoramic Sound 12
- Energy Efficient 13
- Precise Touch 14
- Extra Large 15

OS-Free **16**
Ultrawide 21:9 **17**

Comparison **18**

ViewBoards
Interactive Displays

Ranked the world's #1 interactive display brand for three years running*, ViewSonic ViewBoards deliver stunning visuals and powerful collaboration tools that bring people together to learn, create, and work. We provide solutions fit for every budget and space, with sizes from 55" to 110", including ultrawide series.



IFPUW

2025 INAVATION AWARDS
WINNER 2025

best of show 2025
AT ISE 2025
AVTECHNOLOGY
WINNER



IFP110

IFP34

best of show 2025
AT ISE 2025
TECH & LEARNING
WINNER

epeat TM GOLD

*2023, 2024 and 2025 excluding China, Source: Futuresource Consulting

Why Choose our ViewSonic ViewBoard?

5-Year Warranty

Enjoy peace of mind with on-site repair or replacement.

ESG Certificates

Certified by EPEAT, RoHS, and EnergyStar. Recycling scheme available to support disposal of old tech.

AV Integration

Compatible with AV Systems, including Crestron, Extron, AMX, Control4 and Kramer.

Built-in Software

myViewBoard for presentations and collaboration, AirSync for wireless casting and Manager for remote device management.

Professional Training

Ongoing training and technical support from ViewSonic's experienced team.

ViewBoards

Interactive Displays
IFPG1 Series

OS-Free



works with chromebook

OS-Free

Framework for enhanced versatility, longevity & security

Optional OPS

Slot-in Windows, Linux, Chrome & EDLA PCs

Fast USB-C

Plug-and-play connectivity & fast power charging

Screen Size	55” 65” 75” 86”
Resolution	4K
Speakers	15W x2
Subwoofer	✖
Microphone	✖
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

ViewBoards

Interactive Displays
IFP35 Series

Essential



Google EDLA CERTIFIED

android 14

Condition Sensor

Environmental Sensor that saves energy and shares environment updates

Google Play Store

Full access to all Google Play Store apps

WriteAway

Quick-start tool for instant annotation

Screen Size	65” 75” 86”
Resolution	4K
Speakers	20W x2
Subwoofer	✖
Microphone	✖
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

ViewBoards

Interactive Displays
IFP41 Series

Communication Pro



Google EDLA CERTIFIED

android 14

PIR Sensor

Saves energy with ambient light sensor

WriteAway

Quick-start tool for instant annotation

Fast USB-C

Plug-and-play connectivity & fast power charging

Screen Size	65” 75” 86”
Resolution	4K
Speakers	20W x 2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

*Single Sign-on

ViewBoards

Interactive Displays
IFP51 Series

Panoramic Sound



Google EDLA CERTIFIED

android 14

NFC & SSO*

Swift & secure access to dashboards

WriteAway

Quick-start tool for instant annotation

Immersive Sound

Dual 25W speakers plus 20W subwoofer

Screen Size	55” 65” 75” 86” 98”
Resolution	4K
Speakers	25W x2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

*Single Sign-on

ViewBoards

Interactive Displays
IFP53 Series

Connectivity Pro



Google EDLA CERTIFIED

android 14

NFC & SSO*

Swift & secure access to dashboards

Eye Protection

Flicker-free technology and blue light filter

Quad USB-C

Quad USB-C 3.0 with fast power charging

Screen Size	65” 75” 86”
Resolution	4K
Speakers	20W x 2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

*Single Sign-on

ViewBoards

Interactive Displays
IFP63 Series

Precise Touch



Google EDLA CERTIFIED

android 15

PCAP Touch

Advanced touch technology for a paper-like writing experience

Condition Sensor

Environmental Sensor and Antibacterial Coating

NFC & SSO*

Swift & secure access to dashboards

Screen Size	65” 75” 86”
Resolution	4K
Speakers	20W x2
Subwoofer	20W
Microphone	8 Array
Brightness (Max)	450 Nits

Energy Efficiency

epeat GOLD

ENERGY STAR

RoHS COMPLIANT

*Single Sign-on

ViewBoards

Interactive Displays
IFP110 Series

Extra Large



best of show 2025 AT ISE 2025 TECH & LEARNING WINNER

android 13

110" Screen

4K screen for breathtaking larger-than-life images

NFC & SSO*

Swift & secure access to dashboards

Split Screen

Picture-in-picture & picture-by-picture modes

Screen Size	110"
Resolution	4K
Speakers	20W x2
Subwoofer	20W
Microphone	8-Array
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

*Single Sign-on

ViewBoards

Interactive Displays
IFPUW Series

Ultrawide 21:9



2025 INAVATION AWARDS
WINNER 2025

best of show 2025
AT ISE 2025
AVTECHNOLOGY
WINNER

android 13

21:9 Ratio

Optimised for Front Row or Gallery Mode in Microsoft Teams & Zoom

5K Resolution

Stunning resolution for brilliant images

Split Screen

Picture-in-picture & picture-by-picture modes

Screen Size	92” 105”
Resolution	5K
Speakers	20W x2
Subwoofer	20W
Microphone	8-Array
Brightness (Max)	450 Nits

Energy Efficiency

epeat SILVER

ENERGY STAR

RoHS COMPLIANT

ViewBoards
Comparison



IFPG1



IFP35



IFP41



IFP51

	IFPG1	IFP35	IFP41	IFP51
Sizes	55”, 65”, 75”, 86”	65”, 75”, 86”	55”, 65”, 75”, 86”, 98”	55”, 65”, 75” 86”, 98”
Brightness (Nits)	450	350	450	450
CPU Core	✖	Octa-core	Octa-core	Octa-core
EDLA	✖	✔	✔	✔
OS	✖	Android 16	Android 16	Android 14
Speakers	15W x2	20W x2	20W x2	25W x2
Subwoofer	✖	✖		15W
Mic	✖	✖		20W 8 Array
NFC Reader	✖	✖	✖	✔
Warranty	5 Years	5 Years	5 Years	5 Years
PCAP	✖	✖	✖	✖

See Product Page



IFP53



IFP63



IFP110



IFPUW

	IFP53	IFP63	IFP110	IFPUW
Sizes	65”, 75”, 86”	65”, 75”, 86”	110”	92”, 105”
Brightness (Nits)	450	450	450	450
CPU Core	Octa-core	Octa-core	Octa-core	Octa-core
EDLA	Optional	✔	✖	✖
OS	Android 14	Android 15	Android 13	Android 13
Speakers	20W x2	20W x2	20W x2	20W x2
Subwoofer	20W	20W	20W	20W
Mic	8 Array	8 Array	8 Array	8 Array
NFC Reader	✔	✔	✔	✖
Warranty	5 Years	5 Years	5 Years	5 Years
PCAP	✖	✔	✖	✖

See Product Page


Make Your Space Beautiful
Principles of Interior Design
Balance
Scale and Proportion
Rhythm
Color Theory
Presentation
Selling Annual Target

Digital Displays
CDE & ePoster

Why ViewSonic? **22**

Standard 16:9
- OS-Free 24
- Versatile Signage 25
- Energy efficient 26

Ultrawide 21:9 **27**

ePoster **28**

Comparison **30**

Digital Displays
CDE & ePoster

From entrance halls and boardrooms to classrooms and social venues, our CDE displays and ePosters streamline communication across spaces. Available in sizes from 43” to 105” with brilliant 4K and 5K resolution, robust 24/7 operation, portrait and landscape orientation options, and stylish slim bezel design, these displays are the ideal addition to any space.



CDE31 Series

CDE105UW

Why Choose our ViewSonic CDE & ePoster?

3-Year Warranty

3-year warranty with on-site repair or replacement on selected products.

ESG Certificates

Certified by EPEAT, RoHS, and EnergyStar. Recycling scheme available to support disposal of old tech.

AV Integration

Pro-AV compatibility making some displays compatible with Crestron, AMX, Extron and Q-SYS, Cisco and more.

Built-in Software

Manager software for remote device management and AirSync for wireless casting.

24/7 Operation

Make the most of your displays with constant round-the-clock use.

CDE Displays

CDEG3-1C Series

OS-Free



OS-Free

Framework for enhanced versatility, longevity & security

Fast USB-C

Plug-and-play connectivity & 15W power charging

Pro-AV Integrated

Integrates with leading ProAV control systems and ViewSonic Manager for remote management

Screen Size	43”, 55”, 65”, 75”, 86”, 98″	**Speaker**	10W x2
Resolution	4K	**24/7 Operation**	✔
Brightness (Max)	500 Nits	**Portrait/Landscape**	✔

CDE Displays

CDE14-2C Series

Versatile Signage



epeat SILVER

android 14

ENERGY STAR

RoHS COMPLIANT

Quad Core SoC

Stable performance with fast warm boot in just 7 seconds

Fast USB-C

Plug-and-play connectivity & 15W power charging

Pro-AV Integrated

Integrates with leading ProAV control systems and ViewSonic Manager for remote management

Screen Size	43”, 50″, 55”, 65”, 75”, 86”	**Speaker**	10W x2
Resolution	4K	**24/7 Operation**	✔
Brightness (Max)	500 Nits	**Portrait/Landscape**	✔

CDE Displays

CDE31-1C Series

Energy Efficient



Digital Signage magazine best of show AT ISE 2026 WINNER

epeat GOLD

android 14

Quad Core SoC

30% boost in computing power with quick power-up in just 7 seconds

Fast USB-C

Plug-and-play connectivity & 65W power charging

Pro-AV Certified

Pro-AV certification with Extron, AMX, Q-SYS and compatible with Cisco

Screen Size	43”, 55”, 65”, 75”, 86”, 98”	**Speaker**	16W x2
Resolution	4K	**24/7 Operation**	✔
Brightness (Max)	500 Nits	**Portrait/Landscape**	✔

*OPS slot not available for 43”-55”

CDE Displays

CDEUW Series

Ultrawide



best of show 2025 AT ISE 2025 Digital Signage magazine WINNER

epeat SILVER

android 13

5K 21:9

High resolution for unparalleled clarity

Fast USB-C

Plug-and-play connectivity & 100W power charging*

Pro-AV Complaint

Pro-AV compliant with Creston, Extron, AMX, Q-SYS and Cisco

Screen Size	92”, 105”
Resolution	5K
Brightness (Max)	500 Nits

Speaker	20W x2
24/7 Operation	✔
Portrait/Landscape	✔
Subwoofer	20W

*Only 65W USB-C charging when OPS is plugged in

ePoster
EP5542(T)

Touch/ Non-Touch



android 08

Touch or Non-touch

Available in touch & non-touch options for high-impact visual messaging in any space

Scratch Proof

Scratch-proof glass faceplate for added durability

Minimal Design

Freestanding, slim design ideal for modern spaces


Screen Size	55”	**Speaker**	10W x2
Resolution	4K	**24/7 Operation**	✔
Brightness (Max)	450 Nits	**Portrait/Landscape**	✖


RBAN TREND
SALE
30%
OFF


Digital Displays
Comparison



CDEG3-1C



CDE14-2C



CDE31-1C



CDEUW

	CDEG3-1C	CDE14-2C	CDE31-1C	CDEUW
Sizes	43”, 55”, 65” 75”, 86”, 98”	43”, 50”, 55” 65”, 75”, 86”	43”, 55”, 65” 75”, 86”, 98”	92”, 105”
Resolution	4K	4K	4K	5K
Brightness (Nits)	500	500	500	500
Panel Ratio	15:9	16:9	16:9	21:9
EPEAT	Gold	Silver	Gold	Silver
OS	✖	Android 14	Android 14	Android 13
Storage	✖	32GB	32GB	128GB
Speakers	10W x2	10W x2	16W x2	20W x2
Subwoofer	✖	✖	✖	20W x1
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page



EP5542
EP5542T*

Sizes	55”
Resolution	4K
Brightness (Nits)	450
Panel Ratio	9:16
EPEAT	✖
OS	Android 8
Storage	16GB
Speakers	10W x2
Subwoofer	✖
Warranty	3 Years

*Touch model (EP5542T)

See Product Page



All-in-One LED Displays

Why ViewSonic? **34**

Foldable **36**

Fixed Size
Fixed Size Simplified OS 38
Fixed Size Mainstream 39
Fixed Size Premium 40


Custom
Custom Mainstream 42
Custom OS-Free 44
Custom OS-Free Premium 45

Comparison **47**

All-in-One LED Displays

ViewSonic innovative All-in-One LED displays come in 3 different configurations to fit every need from foldable to fixed size and custom size, all offering pre-configured modules for a quick and swift installation, reducing setup time and cost.

At ViewSonic, we're with you every step of the way. From personalised pre-sale consultations to smooth installation, hands-on training, and dedicated after-sales support, we make sure you get the right solution and the best possible service.



LDE Series

Installation best of show AT ISE 2026 WINNER



LDS138-151

best of show 2025 AT ISE 2025 AVTECHNOLOGY WINNER

TECH & LEARNING best of show AT ISE 2026 WINNER

Why Choose our ViewSonic LED?

3-Year Warranty

On top of the spare panels provided to compensate for normal wear and tear, ViewSonic offers 3 year on-site repair or replacement warranty.

Easy Installation

All of our LED modules come pre-calibrated so they are ready to use out of the box significantly reducing setup time and cost.

Easy Maintenance

Confidently switch out LED modules with our complimentary training services,. Each display comes with 7% spare LED modules & maintenance tools.

Expert Support

Pre-consultation to help you choose the right solution for your space, installation support, training and after-sale customer service.

Stock Availability

Apart for our custom solutions which are made to order, most of our LED displays are typically held in stock at our European warehouse ready for quick dispatch.

All-in-One LED

Foldable Solution
LDS Series



best of show 2025 AT ISE 2025 AVTECHNOLOGY WINNER

TECH & LEARNING best of show AT ISE 2026 WINNER

Foldable Design

Allowing it to fit through most UK standard door and service lifts

Pre-assembled

Deploys instantly from the flight case with a motorised, height-adjustable stand for quick setup.

GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Screen Size	Pixel Pitch
138”	1.5

Resolution	Full HD
Speakers	30W x2
Brightness (Max)	600 Nits



Complimentary Flight Case

Enjoy peace of mind on the move with our complimentary flight case.
Designed for safe and seamless transport of your LED display.

All-in-One LED

Simplified OS Solution
LDE Series



Installation best of show AT ISE 2026 WINNER

Simplified OS

No pre-installed apps, WiFi connectivity or user storage for more security

Easy Install

Two-person installation in under two hours, modules can be switch for easy maintenance

GOB surface


IP54-rated LED modules for robust protection against impacts, dust and moisture

Screen Size	Pixel Pitch
136”	1.5
163”	1.8

Resolution	Full HD
Speakers	8W x2
Brightness (Max)	600 Nits

All-in-One LED

Fixed Size Solution
LDM Series



AVTECHNOLOGY best of show AT ISE 2026 WINNER

1.
All-in-One

Pre-configured, integrating power supply, control, image stitching & display systems

Easy Install

Two-person installation in under two hours, modules can be switch for easy maintenance

GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Screen Size	Pixel Pitch
136”	1.5
163”	1.8
231”	2.5

Resolution	Full HD
Speakers	30W x2
Brightness (Max)	600 Nits

All-in-One LED

Fixed Size Solution
LDP Series



All-in-One

Pre-configured with integrated media player for quick installation

Easy Install

Two-person installation in under two hours, modules can be switch for easy maintenance

COB Surface

IP54-rated & IK08 certified with enhanced durability, stability, and thermal performance

Screen Size	Pixel Pitch
136”	0.7, 1.5
163”	0.9
217”	1.2

Resolution	4K*
Speakers	30W x2
Brightness (Max)	600 Nits

*136" - 1.5 pixel pitch (LDP136-151C) version is Full HD only




Optional Floor Stand

Swiftly rearrange modular spaces with our optional floor stand, equipped with lockable wheels

Compatible with LDE, LDM, LDP series for screens between 136″ and 163″.

All-in-One LED

Custom Mainstream Solution
LDC Series



best of show 2025 AT ISE 2025 Installation WINNER

All-in-One

Pre-configured with integrated media player for quick installation

Versatile

Flexible sizing and configurations for video walls in various format

GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Aspect Ratio	Pixel Pitch
16:9	1.2, 1.5, 1.8
4:3	1.2, 1.5, 1.8, 2.5

Resolution	Custom
Speakers	30W x2*
Brightness (Max)	600 Nits

*Optional Speakers (depending on control box option)

Custom Solution - Control Box Options



Standard Control Box

Standard All-in-One Control Box offers a user-friendly solution with or without built-in speakers




Rack-Mount Control Box

The Rack-Mount All-in-One System Control Box is designed for professional AV environments, compatible with 4U rack cabinets to provide centralised control

Customise Your Display

All-in-One LED

Custom OS-Free Solution
LDCG Series



OS-Free

Framework for enhanced versatility, longevity & security

Versatile

Flexible sizing and configurations for video walls in various format

GOB surface

IP54-rated LED modules for robust protection against impacts, dust and moisture

Aspect Ratio	Pixel Pitch
16:9	1.2, 1.5, 1.8
4:3	1.2, 1.5, 1.8, 2.5

Resolution	Custom
Speakers	N/A
Brightness (Max)	600 Nits

All-in-One LED

Custom OS-Free Premium Solution
LDCG-C Series



OS-Free

Framework for enhanced versatility, longevity & security

Versatile

Flexible sizing and configurations for video walls in various format

COB Surface

IP54-rated & IK08 certified with enhanced durability, stability, and thermal performance

Aspect Ratio	Pixel Pitch
16:9	0.7, 0.9, 1.2, 1.5

Resolution	Custom
Speakers	N/A
Brightness (Max)	600 Nits

Custom OS-Free - Control Box



Slim Control Box

Slim All-in-One Control Box eliminates bulky configurations available in behind-the-screen mounting, 1U & 2U rack options

Customise Your Display


All-in-One LED
Comparison




LDS
Foldable



LDE
OS-Free



LDM
Fixed Size



LDP
Fixed Size Premium

	LDS Foldable	LDE OS-Free	LDM Fixed Size	LDP Fixed Size Premium
Sizes - Pixel Pitch	138” - 1.5	136” - 1.5 163” - 1.8	136” - 1.5 163” - 1.8 231” - 2.5	136” - 1.5* 136″ - 0.7 163” - 0.9 231” - 1.2
Aspect Ratio	16:9	16:9	16:9	16:9
Brightness (Nits)	600	600	600	600
Contrast Ratio	6500:1	6500:1	6500:1	6500:1
Resolution	Full HD	Full HD	Full HD	4K*
Technology	GOB	GOB	GOB	COB
OS	Android	N/A	Android	Android
Storage	32GB	32GB	32GB	32GB
Connectivity				
Input	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)	HDMI x4 USB-A x3 RJ45 x 3 IR in WiFi input USB-C x1 (data)
Output	HDMI x1 Audio out x2	HDMI x1 Audio out x2	HDMI x1 Audio out x2	HDMI x1 Audio out x2
Speakers	30W x2	30W x2	30W x2	30W x2
Warranty	3 years	3 years	3 years	3 years

*LDP136-151C (136″ - 1.5 pixel pitch) resolution is Full HD

See Product Page

All-in-One LED
Comparison





	LDC027 Custom	LDC027G Custom OS-Free	LDC027G-C Custom OS-Free Premium
Sizes	Custom	Custom	Custom
Cabinets Ratio	16:9	16:9	16:9
Brightness (Nits)	600	600	600
Pixel Pitch Options			
0.7	✗	✗	✓
0.9	✗	✗	✓
1.2	✓	✓	✓
1.5	✓	✓	✓
1.8	✓	✓	✗
2.5	✗	✗	✗
Technology	GOB	GOB	COB
OS	Android	OS-Free	OS-Free
Storage	32GB	✗	✗
Speakers	30W x2*	✗	✗
Warranty	3 years	3 years	3 years

*Optional Speakers (depending on control box option)

See Product Page






	LDC031 Custom	**LDC031G** OS-Free Custom
Sizes	Custom	Custom
Cabinets Ratio	4:3	4:3
Brightness (Nits)	600	600
Pixel Pitch Options		
0.7	✗	✗
0.9	✗	✗
1.2	✓	✓
1.5	✓	✓
1.8	✓	✓
2.5	✓	✓
Technology	GOB	GOB
OS	Android	OS-Free
Storage	32GB	✗
Speakers	30W x2*	✗
Warranty	3 years	3 years

*Optional Speakers (depending on control box option)

See Product Page


Employee Login
LOGIN

ViewSonic
Monitors

Why ViewSonic? **52**

Business 54
Creative 78
Touch
Gaming
Entertainment
Essential
Portable

ViewSonic
Monitors

ViewSonic offers monitors for every user category. From budget-friendly home models, to professional colour-accurate displays, to high-performance gaming monitors. Whether you're a student, designer, business user, or gamer, there's likely a ViewSonic model that fits your requirements.

Business
Ergonomic business monitors



Creative
Colour accurate monitors



Touch
For POS, podium or interface



Gaming
Esport/Casual gaming monitors



Entertainment
Media consumption



Essential
Budget friendly



Why Choose ViewSonic Monitors?

35+ years of experience

With more than 35 years in the display industry, ViewSonic has built a global reputation for innovation, reliability and quality.

Value for money

ViewSonic often provides premium features at competitive prices, such as IPS panels, high refresh rates, built-in speakers & ergonomic stands, delivering quality & performance without overspending.

Innovative Features

We incorporate features like Blue Light Filter, Flicker-Free technology, USB-C connectivity, and adaptive sync (FreeSync/G-Sync support). These features ensure a future-proofed product

Warranty & Support

ViewSonic offers up to 5 years warranty on monitors, along with solid customer service and technical support. Buy with peace of mind and confidence in product durability.


Modern Architecture
For architecture in the present day
ViewSonic

Business
Monitors

Why ViewSonic? **56**

Conference 58
Ultrawide 62
Energy Efficient 64
USB-C 68
Colour Accurate 69
4K Resolution 70
Entry Level 73

Comparison **74**

Business
Monitors

The Business (VG) series is designed for business professionals and office environments, offering ergonomic stands, thin bezels and energy-efficient features. With versatile connectivity and screen sizes, VG monitors are perfect for improving productivity and comfort in modern workspaces.



epeat GOLD

Why Choose our Business Monitors?

5-Year Warranty

All of our Business Monitors come with standard 5-Year warranty providing long-term peace of mind.

Energy Efficient

All Business monitors are TCO and Energy Star certified and have a minimum of EPEAT Silver, allowing operations to be scaled without compromising efficiency.

Ergonomic Stands

Keep employees safe from Repetitive Strain Injury (RSI) with our fully ergonomic stands enabling tilt, height, swivel & pivot adjustment for all-day comfort.

Conference Solutions

Built-in webcams with privacy sliders or pop-up designs let you join meetings securely and confidently and ensure your privacy when not in use.

Connectivity Options

Experience ultimate flexibility with USB-C, HDMI, and Display Port connectivity options, designed for effortless compatibility and a clutter-free workspace.

Business

Conference

VG Monitors
VG3457CV



Windows Hello

Instant, secure access to your digital workspace using Windows Hello

Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 100W USB-C Docking

Zoom Certified

Built-in Zoom Certified 5MP pop-up camera with LED fill lights & microphone

Screen Size	34”
Resolution	UWQHD
USB-C	✔
Refresh Rate (Hz)	100Hz
Panel Type	VA
Speakers	✔

HDMI 2.0 x2	DP x1	3.5mm x1	LAN x1
USB-A 3.2 x4	USB-C 3.2 x1	USB-C 3.1 x2	

Business

Conference

VG Monitors
VG2757V-2K



Windows Hello

Instant, secure access to your digital workspace using Windows Hello

Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 90W USB-C Docking

Zoom Certified

Built-in Zoom Certified 5MP pop-up camera with LED fill lights & microphone

Screen Size	27”
Resolution	QHD
USB-C	✔
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI 2.0 x1	DP x2	3.5mm x1	LAN x1
USB-A 3.2 x3	USB-C 3.2 x1	USB-C 3.1 x1	

Business

Conference

VG Monitors
VG2741V-2K



Windows Hello

Instant, secure access to your digital workspace using Windows Hello

Built-in Webcam

Built-in 5MP webcam with microphone & two-way 5° adjustable webcam

Camera Security

The built-in webcam includes a slide cover to ensure complete privacy and security

Screen Size	27”
Resolution	QHD
USB-C	✔
Refresh Rate (Hz)	120Hz
Panel Type	IPS
Speakers	✔

DP x1

HDMI 2.0 x1

3.5mm x1

USB-A 3.2 x2

USB-C 3.2 x2

Business

Conference

VG Monitors
VG2441V



Windows Hello

Instant, secure access to your digital workspace using Windows Hello

Built-in Webcam

Built-in 5MP webcam with microphone & two-way 5° adjustable webcam

Camera Security

The built-in webcam includes a slide cover to ensure complete privacy and security

Screen Size	24”
Resolution	Full HD
USB-C	✔
Refresh Rate (Hz)	120Hz
Panel Type	IPS
Speakers	✔

DP x1

HDMI 1.4 x1

3.5mm x1

USB-A 3.2 x2

USB-C 3.2 x2

Business

VG Monitors
VG3456C

Ultrawide



epeat SILVER

Eye ProTech

TCO CERTIFIED

energy ENERGY STAR

Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Curved 21:9

Peripheral wide format immersion with 1500R curve display at 21:9 aspect ratio

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Screen Size	34”
Resolution	UWQHD
USB-C	✔
Refresh Rate (Hz)	100Hz
Panel Type	VA
Speakers	✔

HDMI 2.0 x2	DP x1	3.5mm x1	LAN x1
USB-A 3.2 x4	USB-B 3.2 x1	USB-C 3.2 x1	

Business

VG Monitors
VG3419C-2



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Curved 21:9

Peripheral wide format immersion with 1500R curve display at 21:9 aspect ratio

KVM Switch

Connect, control & switch between multiple computers from a single console

Screen Size	34”
Resolution	UWQHD
USB-C	✔
Refresh Rate (Hz)	120Hz
Panel Type	VA
Speakers	✔

HDMI 2.0 x1	DP x1	3.5mm x1	LAN x1
USB-A 3.2 x3	USB-B 3.2 x1	USB-C 3.2 x1	

Business

VG Monitors
VG2756-4K

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 90W USB-C Docking

EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	27”
Resolution	4K
USB-C	✔
Refresh Rate (Hz)	60Hz
Panel Type	IPS
Speakers	✔

HDMI 2.0 x2	DP x1	USB-B 3.2 x1
USB-A 3.2 x2	USB-C 3.2 x1	LAN x1

Business

VG Monitors
VG08A-MHD Series

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	24", 27"
Resolution	Full HD
USB-C	✖
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI 1.4 x1	DP x1	3.5mm x1	VGA x1

*Only the 24" VG2408A-MHD is TÜV Certified

Business

VG Monitors
VG08A Series

Energy Efficient



Eye ProTech

Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Colour Accuracy

99% sRGB colour gamut coverage
perfect for semi-creative workflows

EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	24”, 27”
Resolution	Full HD
USB-C	✖
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI 1.4 x1	DP x1	3.5mm x1
USB-A 3.2 x2	VGA x1	USB-B 3.2 x1

Business

VG Monitors
VG48a-2 Series

Energy Efficient



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Colour Accuracy

99% sRGB coverage delivering crystal clear visuals for semi-creative professionals

EPEAT Gold

Reduce energy costs and increase environmental sustainability with EPEAT Gold Certification

Screen Size	24”, 27”
Resolution	Full HD
USB-C	✖
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI 1.4 x1 | DP x1 | USB-A 3.2 x4 | VGA x1 | USB-B 3.2 x1

Business

VG Monitors
VG09U-2K Series

USB-C



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Docking Station

Streamline workflows by eliminating the need for dongles and adapters with 100W* USB-C Docking

Daisy Chain

Connect two monitors via daisy chain to expand your workspace and enhance productivity.

Screen Size	24" | 27"
Resolution	Full HD | 2K
USB-C	✔
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI x1	DP x2	3.5mm x1	LAN x1
USB-A 3.2 x2	USB-C 3.2 x1	USB-B 3.2 x1	

*24" offers 65W power - 27" offers 100W power

Business

Colour Accurate

VG Monitors
VG2709-2K-MHD-2



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Colour Accuracy

99% sRGB paired with HDR10 delivering crystal clear visuals for semi-creative professionals

Screen Size	27”
Resolution	2K
USB-C	✖
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI x1	DP x1	3.5mm x1
USB-A 3.2 x2	USB-C 3.2 x1	USB-B 3.2 x1

Business

VG Monitors
VG2708-4K

4K Resolution



epeat SILVER

Eye ProTech

TCO CERTIFIED

Energy ENERGY STAR

Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Colour Accuracy

100% sRGB paired with HDR10 delivering crystal clear visuals for semi-creative professionals

High Contrast

Compatible with the industry-standard HDR10 High Dynamic Range for crystal-clear visuals

Screen Size	27”
Resolution	4K
USB-C	✖
Refresh Rate (Hz)	60Hz
Panel Type	IPS
Speakers	✔

HDMI 2.0 x2	DP x1	3.5mm x1



Business

VG Monitors
VG3208-4K

4K Resolution



epeat SILVER

Eye ProTech

ENERGY STAR

Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

Flicker Free

Seamless content viewing for long periods with no distracting flickering

High Contrast

Compatible with the industry-standard HDR10 High Dynamic Range for crystal-clear visuals

Screen Size	32”
Resolution	4K
USB-C	✖
Refresh Rate (Hz)	60Hz
Panel Type	VA
Speakers	✔

HDMI 2.0 x2	DP x1	3.5mm x1

Business

Entry Level

VG Monitors
VG2208A



Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	22”
Resolution	Full HD
USB-C	✖
Refresh Rate (Hz)	100Hz
Panel Type	IPS
Speakers	✔

HDMI 1.4 x1	DP x1	3.5mm x1
USB-A 3.2 x2	USB-B 3.2 x1	

Business
Comparison



VG3457CV



VG2757V-2K



VG2741V-2K



VG2441V

Conference

	VG3457CV	VG2757V-2K	VG2741V-2K	VG2441V
Sizes	34”	27”	27”	24”
Resolution	3440 x 1440 UWQHD	2560 x 1440 QHD	2560 x 1440 QHD	1920 x 1080 Full HD
Aspect Ratio	21:9	16:9	16:9	16:9
Panel Type	VA	IPS	IPS	IPS
Refresh Rate	100Hz	100Hz	120Hz	120Hz
Curvature	✔	✖	✖	✖
Windows Hello	✔	✔	✔	✔
Zoom Certified	✔	✔	✖	✖
Webcam	✔	✔	✔	✔
Brightness	350 cd/m2	350 cd/m2	250 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 x4 USB-B 3.2 - USB-C 3.2 x1 USB-C 3.1 x1 RJ45 LAN x1 HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x3 USB-B 3.2 - USB-C 3.2 x1 USB-C 3.1 x1 RJ45 LAN x1 HDMI 2.0 x2 DisplayPort x2 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 - USB-C 3.2 x2 USB-C 3.1 - RJ45 LAN - HDMI 2.0 x1 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 - USB-C 3.2 x2 USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA - 3.5mm Audio x1
Ergonomics	Height 0-110mm Tilt -5/40° Swivel 120° Pivot N/A	Height 0-110mm Tilt -5/40° Swivel 120° Pivot 90°/90°	Height 0-150mm Tilt -5/20° Swivel 90° Pivot 90°/90°	Height 0-150mm Tilt -5/20° Swivel 90° Pivot 90°/90°
EPEAT	Gold	Gold	Silver	Silver
Warranty	5 Years	5 Years	5 Years	5 Years

See Product Page



VG3456C

Ultrawide



VG3419C-2

Ultrawide



VG2756-4K

Energy Efficient



VG08A-MHD

Energy Efficient

	VG3456C	VG3419C-2	VG2756-4K	VG08A-MHD
Sizes	34”	34”	27”	24”, 27”
Resolution	3440 x 1440 UWQHD	3440 x 1440 UWQHD	3840 x 2160 4K	1920 x 1080 Full HD
Aspect Ratio	21:9	21:9	16:9	16:9
Panel Type	VA	VA	IPS	IPS
Refresh Rate	100Hz	120Hz	60Hz	100Hz
Curvature	✔	✔	✖	✖
Brightness	400 cd/m2	300 cd/m2	350 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 x4 USB-B 3.2 x1 USB-C 3.2 x1 USB-C 3.1 - RJ45 LAN x1 HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x3 USB-B 3.2 x1 USB-C 3.2 x1 USB-C 3.1 - RJ45 LAN x1 HDMI 2.0 x1 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 USB-C 3.1 - RJ45 LAN x1 HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio -	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1
Ergonomics	Height 0-110mm Tilt -5/40° Swivel 120° Pivot N/A	Height 0-150mm Tilt -3.5/23° Swivel N/A Pivot N/A	Height 0-130mm Tilt -5/40° Swivel 120° Pivot 90°/90°	Height 0-130mm Tilt -4/28° Swivel 360° Pivot 90°/90°
EPEAT	Silver	Silver	Gold	Gold
Warranty	5 Years	5 Years	5 Years	5 Years

See Product Page

Business
Comparison



VG08A



VG48a-2

Energy Efficient



VG09U-2

USB-C

	VG08A	VG48a-2	VG09U-2
Sizes	24", 27"	24", 27"	24", 27"
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 FHD 2560 x 1440 QHD*
Aspect Ratio	16:9	16:9	16:9
Panel Type	IPS	IPS	IPS
Refresh Rate	100Hz	100Hz	100Hz
Ergonomics	Height 0-130mm Tilt -4/28° Swivel 360° Pivot 90°/90°	Height 0-130mm Tilt -5/40° Swivel 120° Pivot 90°/90°	Height 0-130mm Tilt -5/28° Swivel 360° Pivot 90°/90°
EPEAT	Gold	Gold	Silver
Brightness	250 cd/m2	250 cd/m2	350 cd/m2
Connectivity	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1	USB-A 3.2 x4 USB-B 3.2 x1 USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio -	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 USB-C 3.1 - RJ45 LAN x1 HDMI x1 DisplayPort x2 VGA - 3.5mm Audio x1
Warranty	5 Years	5 Years	5 Years

*24" is Full HD - 27" is QHD

See Product Page



VG2709-2K-MHD-2
Colour Accurate



VG2708-4K



VG3208-4K

4K Resolution



VG2208A-HD
Entry Level

	VG2709-2K-MHD-2	VG2708-4K	VG3208-4K	VG2208A-HD
Sizes	27"	27"	32"	22"
Resolution	2560 x 1440 QHD	3840 x 2160 4K	3840 x 2160 4K	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	IPS	IPS	VA	IPS
Refresh Rate	100Hz	60Hz	60Hz	100Hz
Curvature	✖	✖	✖	✖
Ergonomics	Height 0-130mm Tilt -3.5/28° Swivel 360° Pivot 90°/90°	Height 0-130mm Tilt -3.5/28° Swivel 360° Pivot 90°/90°	Height 0-90mm Tilt -4/20° Swivel 360° Pivot N/A	Height 0-100mm Tilt -3.5/23° Swivel 340° Pivot 90°
EPEAT	Silver	Silver	Silver	Silver
Brightness	350 cd/m2	360 cd/m2	300 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - USB-C 3.1 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1
Warranty	5 Years	5 Years	5 Years	5 Years

See Product Page


Adobe Photoshop CC 2015
ViewSonic
ViewSonic

Creative
Monitors

Why ViewSonic? **80**

Mac Companion 82
Thunderbolt 4 83
Productivity Pro 84
Large 86
Ultrawide 87

Comparison **88**

Creative
Monitors

The ColorPro VP series targets creative professionals who demand exceptional colour precision and consistency. These monitors come with factory-calibrated colour, high-resolution panels, and wide colour gamut coverage, making them ideal for photographers, designers, and video editors.

#1 Colour Accurate Performance

VP2766-2K



VP2788-5K



PANTONE Validated

VESA CERTIFIED DisplayHDR™

TÜVRheinland CERTIFIED

Why Choose Our Creative Monitors?

Factory Calibrated Colour

All ColorPro monitors come pre-calibrated out of the box so that you can get creating from the get-go.

Wide Colour Gamut Coverage

Colour coverage at 100% sRGB and DCI-P3 starting at 90% on all ViewSonic ColorPro models with Delta <E3 colour fidelity available on most models.

High Resolution Panels

ColorPro range starts from 4K Ultra High Definition all the way to 5K with high pixel density to create that pixel perfect project.

Standardised Testing

Our high-end ColorPro monitors are TÜV Rheinland® Certified ensuring standardised safety, quality & ongoing commitment to maintain compliance.

Pantone® Validated

Reputable industry standard monitors across all ColorPro series.

3-Year Warranty

All of our ColorPro Monitors come with standard 3-Year warranty providing long-term peace of mind.

Creative

VP Monitors
VP2788-5K



PANTONE Validated

VESA CERTIFIED DisplayHDR™

Eye ProTech

TÜVRheinland CERTIFIED

Colour Accuracy

100% sRGB, 99% DCI-P3 colour coverage & Delta E<2 colour fidelity

Thunderbolt 4

Ultra-fast 40Gbps data transfer, 100W of power with a single USB-C cable

Daisy Chain

Multitask & unlock screen space with ease by daisy-chaining up to two 5K displays

Screen Size	27”
Resolution	5K
sRGB Coverage	100%
DCI-P3 Coverage	99%
HDR	400
Speakers	✔

HDMI 2.1 x1

DP In x1

USB-A 3.2 x2

USB-C 3.2 x2

Thunderbolt 4 x2*

*Thunderbolt 4 upstream x1 & downstream x1

Creative

VP Monitors
VP2776T-4K

Thunderbolt 4



PANTONE Validated

VESA CERTIFIED DisplayHDR

Eye ProTech

TÜVRheinland CERTIFIED

Colour Accuracy

100% sRGB, 98% DCI-P3 colour coverage & Delta E<2 colour fidelity

Thunderbolt 4

Ultra-fast 40Gbps data transfer, 100W of power with a single USB-C cable

Daisy Chain

Multitask & unlock screen space with ease by daisy-chaining up to two 4K displays

Screen Size	27”
Resolution	4K
sRGB Coverage	100%
DCI-P3 Coverage	98%
HDR	400
Speakers	✔

HDMI 2.1 x2	DP In x1	LAN x1	3.5mm x1
USB-A 3.2 x3	USB-C 3.2 x1	Thunderbolt 4 x2*	Micro USB x1

*Thunderbolt 4 upstream x1 & downstream x1

Creative

VP Monitors
VP2766-2K



PANTONE Validated

VESA CERTIFIED DisplayHDR™

Eye ProTech

TÜVRheinland CERTIFIED

Colour Accuracy

100% sRGB, 87% DCI-P3 colour coverage & Delta E<2 colour fidelity

Powerful USB-C

90W fast-charge USB-C port, HDMI 1.4 and USB-A 3.2 ports

Smooth Viewing

Eye ProTech+ and smooth 120Hz refresh rate to reduce visual fatigue

Screen Size	27”
Resolution	2K
sRGB Coverage	100%
DCI-P3 Coverage	89%
HDR	10
Speakers	✔

HDMI 1.4 x2	DP In x1	LAN x1
USB-A 3.2 x1	USB-C 3.2 x4	3.5mm x1


Hue/Saturation
Preset: Default
OK
Cancel
Global Colors (Master)
Hue:
Saturation:
Lightness:
Colorize
Preview
ViewSonic
Canon

Creative

VP Monitors
VP3256-4K

Large 32"



PANTONE Validated

Colorbration+

Eye ProTech

Colour Accuracy

100% sRGB, 90% DCI-P3 colour coverage & Delta E<2 colour fidelity

Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 65W power

Working Modes

More than 30 work modes like CAM/CAD for design & adaptive-sync for game design

Screen Size	32"
Resolution	4K
sRGB Coverage	100%
DCI-P3 Coverage	90%
HDR	10
Speakers	✔

HDMI 2.0 x2 | DP x1

USB-A 3.2 x2 | USB-C 3.2 x1 | USB-B 3.2 x1

Creative

VP Monitors
VP3881-a



PANTONE Validated

Colorbration

Eye ProTech

Colour Accuracy

100% sRGB, 94% DCI-P3 colour coverage & Delta E<2 colour fidelity

Curved 21:9

Peripheral wide format immersion with 2300R curve display at 21:9 aspect ratio

KVM Switch

Connect, control & switch between multiple computers from a single console

Screen Size	38”
Resolution	WQHD+
sRGB Coverage	100%
DCI-P3 Coverage	94%
HDR	10
Speakers	✔

HDMI 2.0 x2	DP x1	LAN x1
USB-A 3.2 x2	USB-C 3.2 x1	USB-B 3.2 x1

Creative
Comparison



VP2788-5K
Mac Companion



VP2776T-4K
Thunderbolt 4



VP2766-2K
Productivity Pro

	VP2788-5K	VP2776T-4K	VP2766-2K
Sizes	27”	27”	27”
Resolution	5120 x 2880 5K	3840 x 2160 4K	2560 x 1440 2K
Aspect Ratio	16:9	16:9	16:9
Panel Type	IPS	IPS	IPS
Refresh Rate	75Hz	60Hz	120Hz
Response Time	5ms	5ms	5ms
Delta E<2	✔	✔	✔
sRGB Coverage	100%	100%	100%
DCI-P3 Coverage	99%	98%	87%
HDR	VESA 400	VESA 400	10
Brightness	500 cd/m2	400 cd/m2	350 cd/m2
Curvature	✖	✖	✖
Connectivity	USB-A 3.2 x2 USB-B 3.2 - USB-C 3.2 x2 Thunderbolt 4 x2 VGA - HDMI 2.1 x1 DisplayPort x1 RJ45 LAN - 3.5mm Audio -	USB-A 3.2 x3 Micro USB x1 USB-C 3.2 x1 Thunderbolt 4 x2 VGA - HDMI 2.1 x2 DisplayPort x1 RJ45 LAN x1 3.5mm Audio x1	USB-A 3.2 x1 USB-B 3.2 - USB-C 3.2 x4 Thunderbolt 4 - VGA - HDMI 1.4 x1 DisplayPort x1 RJ45 LAN - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years


See Product Page





	VP3256-4K Large 32"	**VP3881a** Ultrawide
Sizes	32”	38”
Resolution	3840 x 2160 4K	3840 x 1600 WQHD+
Aspect Ratio	16:9	21:9
Panel Type	IPS	IPS
Refresh Rate	60Hz	60Hz
Response Time	5ms	5ms
Delta E<2	✔	✔
sRGB Coverage	100%	100%
DCI-P3 Coverage	90%	94%
HDR	10	10
Brightness	350 cd/m2	300 cd/m2
Curvature	✖	✔
Connectivity	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - VGA - HDMI 2.0 x2 DisplayPort x1 RJ45 LAN - 3.5mm Audio -	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - VGA - HDMI 2.0 x2 DisplayPort x1 RJ45 LAN x1 3.5mm Audio x1
Warranty	3 Years	3 Years

See Product Page



Touch Display
Monitors

Why ViewSonic? **92**

Compact 94
Portable 95
Minimal 96
Infra-Red 98
Precise Touch 100
Dual Stand 101

Comparison **102**

Touch Display
Monitors

ViewSonic offers a range of touch display TD Series monitors perfect for point of sale, public & business use. Choose from 16’- 27” with ergonomic kick-stands.

TD2465



Why Choose our Touch Display Monitors?

Multi-Touch Display

All of our TD series touch displays come with capacitive displays that recognise up to 10 touch points simultaneously

Flicker Free Display

Most of our monitors come with a flicker free display to protect against eye strain and long viewing times.

Eye Protection

Protect your eyes during those long sessions with blue light software protection on all models.

Durable Screen

All of our TD monitors are built with scratch resistant glass at a hardness of 7H for a smooth touch experience

Touch Display

Compact

TD Monitors
TD1630-3



ENERGY STAR

10-Point Touch

Recognises up to 10 touch points simultaneously

Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience

Ergonomic

adjustable integrated book kick-stand for angled viewing or table top mode

Screen Size	16”
Resolution	HD
Refresh Rate (Hz)	60
Response Time	12ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1	VGA x1
3.5mm x1	USB-B 2.0 x1

Touch Display

Portable

TD Monitors
TD1655



10-Point Touch

Recognises up to 10 touch points simultaneously

Stylus Support

Supported with a complimentary passive pen for quick accurate note taking

Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 60W power

Screen Size	16”
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	6.5ms
Touch Points	10
Speakers	✔

Mini HDMI x1	USB-C 3.2 x2	3.5mm x1

Touch Display

Minimal

TD Monitors
TD2230



10-Point Touch

Recognises up to 10 touch points simultaneously

Minimal Design

Minimal edge-to-edge 3-way frameless design for a contemporary clean touch experience

Ergonomic

adjustable integrated book stand for angled viewing from 20° to 70°

Screen Size	22”
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	5ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1	DP x1	VGA x1
USB-A 3.2 x2	USB-B 3.2 x1	3.5mm x2

Touch Display

TD Monitors
TD2430



ENERGY STAR

10-Point Touch

Recognises up to 10 touch points simultaneously

Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	10ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1	DP x1	VGA x1
USB-A 3.2 x2	USB-B 3.2 x1	3.5mm x2

Touch Display

Infra-Red

TD Monitors
TD2223



Eye ProTech

ENERGY STAR

10-Point Touch

Recognises up to 10 touch points simultaneously

Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience

Ergonomic

Adjustable back tilt stand with viewing angles of up to 40-degrees

Screen Size	22”
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	6.5ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1	VGA x1	DV-ID x1
USB-A 2.0 x2	USB-B 2.0 x1	3.5mm x2

Touch Display

Infra-Red

TD Monitors
TD2423



Eye ProTech

ENERGY STAR

10-Point Touch

Recognises up to 10 touch points simultaneously

Scratch Resistant

Built-In 7H protective glass faceplate for a scratch free touch experience

Ergonomic

Adjustable back tilt stand with viewing angles of up to 40-degrees

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	7ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1	VGA x1	DV-ID x1
USB-A 2.0 x2	USB-B 2.0 x1	3.5mm x2

Touch Display

TD Monitors
TD2465

Precise Touch



ENERGY STAR

PCAP Touch

Advanced touch technology for a paper-like writing experience

Touch Modes

Set to Glove or Wet Hand touch modes* for inobstructive surface interaction

Ergonomic

Adjustable integrated book stand for angled viewing from 15° to 70°

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	100Hz
Response Time	7ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1	DP x1	VGA x1
USB-A 3.2 x2	USB-B 3.2 x1	3.5mm x2

*Only one mode can be set at a time

Touch Display

TD Monitors
TD2760

Dual Stand



10-Point Touch

Recognises up to 10 touch points simultaneously

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Ergonomic

Adjustable integrated book stand for angled and flat table top viewing

Screen Size	27”
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	6ms
Touch Points	10
Speakers	✔

HDMI 1.4 x1 | DP x1 | RS232 In x1 | VGA x1

USB-A 3.2 x2 | USB-B 3.2 x1 | 3.5mm x2

Touch Display
Comparison



TD1630-3
Compact



TD1655
Touch



TD2230



TD2430

Minimal

	TD1630-3	TD1655	TD2230	TD2430
Sizes	16”	16”	22”	24”
Resolution	1366 x 768 HD	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	TN	IPS	IPS	VA
Refresh Rate	60Hz	60Hz	60Hz	60Hz
Touch Points	10	10	10	10
Infra-Red Sensor	✖	✖	✖	✖
PCAP	✔	✖	✔	✔
Response Time	1ms	6.5ms	5ms	10ms
Brightness	190 cd/m2	250 cd/m2	200 cd/m2	200 cd/m2
Connectivity	USB-A 3.2 - USB-B 2.0 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort - HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 x1 DP - HDMI 1.4 x1 Micro HDMI - Mini HDMI - RJ45 LAN - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page









	TD2223	TD2423	TD2465	TD2760
	Infra Red		Precise touch	Dual Touch
Sizes	22”	24”	24”	27”
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	VA	VA	VA	VA
Refresh Rate	75Hz	75Hz	100Hz	60Hz
Touch Points	10	10	10	10
Infra-Red Sensor	✔	✔	✖	✖
PCAP	✖	✖	✔	✔
Response Time	6.5ms	7ms	7ms	6ms
Brightness	250 cd/m2	250 cd/m2	250 cd/m2	250 cd/m2
Connectivity	USB-A 2.0 x2 USB-B 2.0 x1 USB-C 3.2 - DVI-D x1 RS232 - DisplayPort - HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 2.0 x2 USB-B 2.0 x1 USB-C 3.2 - DVI-D - RS232 - DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D x1 RS232 - DisplayPort - HDMI 1.4 x1 VGA x1 3.5mm Audio x2	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 - DVI-D - RS232 x1 DisplayPort x1 HDMI 1.4 x1 VGA x1 3.5mm Audio x2
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page


OMNI

Gaming
Monitors

Why ViewSonic? **106**

G-Sync 108
Curved 109
Utrawide 111

Comparison **112**

Gaming
Monitors

The VX series is designed for everyday entertainment. Think movies, streaming, casual gaming and vibrant visuals all wrapped in a clean, modern design with built-in audio. For players who want more power, the XG series steps things up with high refresh rates, lightning-fast response times and adaptive sync for smooth, competitive gaming.

VX3218C-PC-MHD

VX3418C-2K



Why Choose our Gaming Monitors?

High Refresh Rate

All of our VX and VG series gaming monitors come equipped with 100Hz panels or higher

Variable Refresh Rate

Most monitors boast variable refresh rates with either AMD Freesync or NVIDIA G-Sync for more efficient graphics processing and reducing screen tear/stuttering.

Fast Response Time

Most monitors deliver minimal input lag with 1ms response time, compatible with high-end gaming peripherals for casual and competitive play.

Flicker Free Display

Immerse yourself in visually rich worlds with HDR10 as standard on most gaming monitors.

Eye Protection

Protect your eyes during those long sessions with blue light protection as standard and Eye Protech+ on most models.

Gaming

VX Monitors
VX27G1-2K

G-sync



Eye ProTech

NVIDIA G-SYNC

1Ms Rapid Input

Ultra fast 1ms response time for high productivity

Hz High Refresh

With a fast 180Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with NVIDIA G-Sync compatible variable refresh rate

Screen Size	27”
Resolution	QHD
Refresh Rate (Hz)	180
Response Time	1ms
HDR	10
Speakers	✔

HDMI 2.0 x2	3.5mm x1	DP x1

Gaming

VX Monitors
VX3218C-2K

Curved



Eye ProTech

AMD FreeSync Premium

1Ms

Rapid Input

Ultra fast 1ms response time for high productivity

Dark Stabilisation

ViewSonic's Black Stabilisation feature ensures dark scenes are lit up for enhanced visibility

Variable Refresh

Reduce stuttering and screen tearing with AMD Freesync Premium matching frame output

Screen Size	32"
Resolution	QHD
Refresh Rate (Hz)	180
Response Time	1ms
HDR	10
Speakers	✔

HDMI 2.0 x2	3.5mm x1	DP x2

Gaming

VX Monitors
VX3218-PC-MHD

Curved



AMD FreeSync Premium

1Ms Rapid Input

Ultra fast 1ms response time for high productivity

Dark Stabilisation

ViewSonic's Black Stabilisation feature ensures dark scenes are lit up for enhanced visibility

Variable Refresh

Reduce stuttering and screen tearing with AMD Freesync matching frame output

Screen Size	32"
Resolution	Full HD
Refresh Rate (Hz)	180
Response Time	1ms
HDR	10
Speakers	✔

HDMI 1.4 x2 | 3.5mm x1 | DP x1

Gaming

VX Monitors
VX3418C-2K



Eye ProTech

AMD FreeSync Premium

1Ms
Rapid Input

Ultra fast 1ms response time for high productivity

High Refresh

With a fast 180Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with AMD Freesync Premium matching frame output

Screen Size	34”
Resolution	UWQHD
Refresh Rate (Hz)	180
Response Time	1ms
HDR	10
Speakers	✔

HDMI 2.0 x2	3.5mm x1	DP x2

Gaming
Comparison



VX27G1-2K
G-Sync



VX3218C-2K



VX3218-PC-MHD

Curved



VX3418C-2K
Ultrawide

	VX27G1-2K	VX3218C-2K	VX3218-PC-MHD	VX3418C-2K
Sizes	27”	32”	32"	34”
Resolution	2560 x 1440 QHD	2560 x 1440 QHD	1920 x 1080 Full HD	3440 x 1440 UWQHD
Aspect Ratio	16:9	16:9	16:9	21:9
Panel Type	IPS	VA	VA	VA
Refresh Rate	180Hz	180Hz	180Hz	180Hz
Sync Technology	G-sync Compatible	Freesync Premium	Freesync Premium	Freesync Premium
Response Time	1ms	1ms	1ms	1ms
sRGB Coverage	✖	✖	✖	✖
DCI-P3 Coverage	✖	✖	✖	✖
Curvature	✖	✔	✔	✔
HDR	10	10	10	10
Brightness	300 cd/m2	250 cd/m2	300 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x2 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x2 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page




ASCENSION LVL 39
+18068 XP
693 813 / 1 282 786
APOCALYPSE TIER 27
41 62
43 62
003 / 012
BRUTUS
87033 / 87033

Entertainment
Monitors

Why ViewSonic? **116**

4K Resolution 118
Balanced 119
Entry Level 120

Comparison **121**

Entertainment

Monitors

The ViewSonic Home Entertainment monitors VX76 series are designed for casual domestic use like watching films, media and light gaming. VX monitors are the essential kit for a simple home setup.



Why Choose Our Entertainment Monitors?

Flicker Free Display

Uninterrupted viewing with flicker free display to protect against eye strain and long viewing times

High Dynamic Range

Immerse yourself in visually rich worlds with HDR10 as standard on all home entertainment monitors.

Eye Protection

Protect your eyes during those long sessions with blue light protection as standard and Eye Protech+ on most models.

Entertainment

4K Resolution

VX Monitors
VX3276-4K-MHD



Eye ProTech

Flicker Free

Seamless content viewing with no distracting flickering

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Eye Protection

Eye ProTech+ technology helps to eliminate eye strain in extended viewing periods

Screen Size	32”
Resolution	4K
Refresh Rate (Hz)	60
Response Time	4ms
HDR	10
Speakers	✔

HDMI 2.0 x2	DP x1
Mini DP x1	3.5mm x1

Entertainment

Balanced

VX Monitors
VX3276-2K-MHD-2



Adaptive Sync

Adaptive Sync reduces screen tear & eliminates choppy frame rates

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Eye Protection

Flicker-Free technology & Blue Light Filter helps to eliminate eye strain in extended viewing periods

Screen Size	32”
Resolution	QHD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✔

HDMI 1.4 x2	DP x1
Mini DP x1	3.5mm x1

Entertainment

Entry Level

VX Monitors
VX3276-MHD-3



Flicker Free

Seamless content viewing with no distracting flickering

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Eye Protection

Flicker-Free technology & Blue Light Filter helps to eliminate eye strain in extended viewing periods

Screen Size	32”
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✔

HDMI 1.4 x2	DP x1
VGA x1	3.5mm x2

Entertainment
Comparison



VX3276-4K-MHD
4K Resolution



VX3276-2K-MHD-2
Balanced



VX3276-MHD-3
Entry Level

	VX3276-4K-MHD	VX3276-2K-MHD-2	VX3276-MHD-3
Sizes	32”	32”	32”
Resolution	3840 x 2160 4K	2560 x 1440 QHD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9
Panel Type	VA	IPS	IPS
Refresh Rate	60Hz	75Hz	75Hz
Curvature	✖	✖	✖
sRGB Size	118%	103%	104%
DCI-P3 Coverage	✖	✖	✖
Response Time	4ms	4ms	4ms
HDR	10	10	10
Brightness	300 cd/m2	250 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - Mini DP x1 HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - Mini DP x1 HDMI 1.4 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - Mini DP - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years

See Product Page


Modern Workspace Urban
$2,000-$5000
SKYLINER Business Building
Breaking Barriers:
The Art of Selling Real Estate
ViewSonic

Essential
Monitors

Why ViewSonic? **124**

Energy Efficient 126
4K Resolution 128
2K Resolution 130
USB-C Ultrawide 132
Balanced 134
Portable 136
High Refresh Rate 137
Speakers 138
Entry Level 140

Comparison **143**

Essential
Monitors

The VA series delivers reliable, budget-friendly monitors for everyday use. With solid visual performance, eye-care features, and a range of sizes, VA monitors are great for home offices, students, and general-purpose computing.

VA2408-HDJ



Why Choose Our Essential Monitors?

High Refresh Rate

Most of our VA Essential series monitors are equipped with higher refresh rates ranging from 75Hz-144Hz.

Variable Refresh Rate

Efficiently run your display with frame rates matching the task input available on most display.

Industry Response Time

All monitors come equipped with responsive panels ranging from 5ms-1ms for tasks requiring input precision.

Flicker Free Display

Uninterrupted viewing with flicker free display to protect against eye strain and long viewing times.

Eye Protection

Protect your eyes during those long sessions with blue light protection as standard on all models.

Essential

VA Monitors
VA2408-HDJ

Energy Efficient



epeat GOLD

Eye ProTech

TÜVRheinland CERTIFIED

TCO CERTIFIED

Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Rapid Input

Low input lag delivers a more responsive user experience, enabling greater efficiency

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1	VGA x1
3.5mm x1	DP x1

Essential

VA Monitors
VA2708-HDJ

Energy Efficient



epeat GOLD

Eye ProTech

TCO CERTIFIED

Ergonomic Stand

Full adjustability with tilt, height, swivel & pivot for all-day comfort

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Colour Accuracy

99% sRGB colour coverage, SuperClear IPS panel

Screen Size	27”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	5ms
HDR	✖
Speakers	✖

HDMI 1.4 x1	VGA x1
3.5mm x1	DP x1

Essential

VA Monitors
VA2708-4K-HD

4K Resolution



Eye ProTech

Eco Mode

Energy efficient Eco Mode reduces carbon footprint

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	27”
Resolution	4K
Refresh Rate (Hz)	60
Response Time	4ms
HDR	10
Speakers	✖

HDMI 2.0 x2	DP x1	3.5mm x1

Essential

VA Monitors
VA3208-4K-HD

4K Resolution



Eye ProTech

Eco Mode

Energy efficient Eco Mode reduces carbon footprint

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	32”
Resolution	4K
Refresh Rate (Hz)	60
Response Time	4ms
HDR	10
Speakers	✖

HDMI 2.0 x2	DP x1	3.5mm x1

Essential

VA Monitors
VA2708-2K-HD-2

2K Resolution



Eye ProTech

Flicker Free

Seamless content viewing with no distracting flickering

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27”
Resolution	QHD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✖

HDMI 2.0 x2	DP x1	3.5mm x1

Essential

VA Monitors
VA3209-2K-MHD

2K Resolution



Eye ProTech

Flicker Free

Seamless content viewing with no distracting flickering

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	32”
Resolution	QHD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	10
Speakers	✔

HDMI 1.4 x2	DP x1	3.5mm x1

Essential

VA Monitors
VA3420C-2

USB-C Ultrawide



Eye ProTech

Colour Accuracy

98% DCI-P3 colour size, SuperClear IPS panel

KVM Switch

Connect, control & switch between multiple computers from a single console

High Refresh

With a fast 120Hz variable refresh rate, experience a truly seamless visual display

Screen Size	34”
Resolution	UWQHD
Refresh Rate (Hz)	120
Response Time	1ms
HDR	10
Speakers	✔

HDMI 2.0 x2	DP x1	3.5mm x1
USB-A 3.2 x2	USB-C 3.2 x1	USB-B 3.2 x1

Essential

VA Monitors
VA3820C

USB-C Ultrawide



Eye ProTech

Colour Accuracy

98% DCI-P3 size & 100% sRGB colour coverage, SuperClear IPS Panel

KVM Switch

Connect, control & switch between multiple computers from a single console

Dynamic Colour

Industry standard HDR10, increasing definition in colour, brightness and contrast levels.

Screen Size	38”
Resolution	WQHD+
Refresh Rate (Hz)	75
Response Time	4.7ms
HDR	10
Speakers	✔

HDMI 2.0 x2 | DP x1 | 3.5mm x1

USB-C 3.2 x1 | USB-B 3.2 x1

Essential

Balanced

VA Monitors
VA2432-H-2



Eye ProTech

Rapid Input

Ultra fast 1ms response time for high productivity

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1

VGA x1

Essential

Balanced

VA Monitors
VA2732-H-2



Eye ProTech

Rapid Input

Ultra fast 1ms response time for high productivity

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1

VGA x1

Essential

VA Monitors
VA1650

Portable



Compact Design

13.4mm frame and light weight 0.7kg for easy traveling

Ergonomic

Adjustable integrated kick-stand for angled viewing up to 45° or table top mode

Fast USB-C

USB-C 3.2 connectivity allows for fast data transfer & charging with 65W power

Screen Size	16”
Resolution	Full HD
Refresh Rate (Hz)	60
Response Time	7ms
HDR	✖
Speakers	✔

HDMI 1.4 x1	USB-C 3.2 x1	3.5mm x1

Essential

VA Monitors
VA24E2-H



High Refresh

Fast 144Hz variable refresh rate, experience a truly seamless visual display

Eco Mode

Eco Mode reduces carbon footprint

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	120
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1

VGA x1

Essential

VA Monitors
VA2432-MHD-3



Rapid Input

Ultra fast 1ms response time for high productivity

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	✖
Speakers	✔

HDMI 1.4 x1	VGA x1
3.5mm x1	DP x1

Essential

VA Monitors
VA3209-MH



Eye ProTech

Eco Mode

Energy efficient Eco Mode reduces carbon footprint

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27”
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	4ms
HDR	✖
Speakers	✔

VGA x1	HDMI 1.4 x1	3.5mm x1

Essential

Entry Level

VA Monitors
VA220-H



Eye ProTech

Rapid Input

Ultra fast 1ms response time for high productivity

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	22”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1

VGA x1

Essential

Entry Level

VA Monitors
VA270-H-2



1Ms Rapid Input

Ultra fast 1ms response time for high productivity

High Refresh

With a fast 100Hz variable refresh rate, experience a truly seamless visual display

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Screen Size	27”
Resolution	Full HD
Refresh Rate (Hz)	100
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1

VGA x1

Essential

Entry Level

VA Monitors
VA240-H-2



Eye ProTech

1Ms Rapid Input

Ultra fast 1ms response time for high productivity

Variable Refresh

Reduce stuttering and screen tearing with variable refresh rate panel

Flicker Free

Seamless content viewing for long periods with no distracting flickering

Screen Size	24”
Resolution	Full HD
Refresh Rate (Hz)	75
Response Time	1ms
HDR	✖
Speakers	✖

HDMI 1.4 x1

VGA x1

Essential
Comparison



VA2708-HDJ



VA2408-HDJ



VA2708-4K-HD



VA3208-4K-HD

Energy Efficient — 4K Resolution

	VA2708-HDJ	VA2408-HDJ	VA2708-4K-HD	VA3208-4K-HD
Sizes	27"	24"	27"	32"
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD	3840 x 2160 4K	3840 x 2160 4K
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	IPS	IPS	IPS	VA
Refresh Rate	100Hz	100Hz	60Hz	60Hz
Curvature	✖	✖	✖	✖
sRGB Coverage	99%	✖	✖	✖
DCI-P3 Size	✖	✖	✖	✖
Response Time	5ms	1ms	4ms	4ms
HDR	✖	✖	10	10
Brightness	250 cd/m2	250 cd/m2	250 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DisplayPort x1 VGA x1 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page

Essential
Comparison



VA2708-2K-HD-2



VA3209-2K-MHD

2K Resolution



VA3420C-2



VA3820C

USB-C Ultrawide

	VA2708-2K-HD-2	VA3209-2K-MHD	VA3420C-2	VA3820C
Sizes	27”	32”	34"	38"
Resolution	2560 x 1440 QHD	2560 x 1440 QHD	3440 x 1440 UWQHD	3840 x 1600 WQHD+
Aspect Ratio	16:9	16:9	21:9	21:9
Panel Type	IPS	IPS	IPS	IPS
Refresh Rate	75Hz	75Hz	120Hz	75Hz
Curvature	✖	✖	✔	✔
sRGB Coverage	✖	✖	✖	100%
DCI-P3 Size	✖	✖	98%	98%
Response Time	4ms	4ms	1ms	4.7ms
HDR	10	10	10	10
Brightness	300 cd/m2	250 cd/m2	300 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 x2 USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 x1 USB-C 3.2 x1 Thunderbolt 4 - RJ45 LAN - HDMI 2.0 x2 DisplayPort x1 VGA - 3.5mm Audio x1
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page



VA2432-H-2



VA2732-H-2

Balanced



VA1650
Portable



VA24E2-H
High Refresh Rate

	VA2432-H-2	VA2732-H-2	VA1650	VA24E2-H
Sizes	24”	27”	16”	24”
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9	16:9
Panel Type	IPS	IPS	IPS	IPS
Refresh Rate	100Hz	100Hz	60Hz	144Hz
Curvature	✖	✖	✖	✖
sRGB Coverage	✖	✖	✖	✖
DCI-P3 Coverage	✖	✖	✖	✖
Response Time	1ms	1ms	7ms	1ms
HDR	✖	✖		✖
Brightness	250 cd/m2	250 cd/m2	250 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP - VGA x1 3.5mm Audio -	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP - VGA x1 3.5mm Audio -	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 x2 DP - HDMI 1.4 - Micro HDMI x1 Mini HDMI x1 RJ45 LAN x1 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP - VGA x1 3.5mm Audio -
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page

Essential
Comparison



VA2432-MHD-3



VA3209-MH

Speakers

	VA2432-MHD-3	VA3209-MH
Sizes	24”	32”
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9
Panel Type	IPS	IPS
Refresh Rate	100Hz	75Hz
Curvature	✖	✖
sRGB Coverage	✖	✖
DCI-P3 Coverage	✖	✖
Response Time	1ms	4ms
HDR	✖	✖
Brightness	250 cd/m2	250 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP x1 VGA x1 3.5mm Audio x1	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP - VGA x1 3.5mm Audio x1
Warranty	3 Years	3 Years

See Product Page



VA220-H



VA240-H-2



VA270-H-2

Entry Level

	VA220-H	VA240-H-2	VA270-H-2
Sizes	22”	24”	27”
Resolution	1920 x 1080 Full HD	1920 x 1080 Full HD	1920 x 1080 Full HD
Aspect Ratio	16:9	16:9	16:9
Panel Type	VA	IPS	IPS
Refresh Rate	100Hz	75Hz	100Hz
Curvature	✖	✖	✖
sRGB Coverage	✖	✖	✖
DCI-P3 Coverage	✖	✖	✖
Response Time	1ms	1ms	1ms
HDR	✖	✖	✖
Brightness	250 cd/m2	250 cd/m2	300 cd/m2
Connectivity	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP - VGA x1 3.5mm Audio -	USB-A 3.2 - USB-B 3.2 - USB-C 3.2 - Thunderbolt 4 - RJ45 LAN - HDMI 1.4 x1 DP - VGA x1 3.5mm Audio -	USB-A 3.2 USB-B 3.2 USB-C 3.2 Thunderbolt 4 RJ45 LAN HDMI 1.4 DP VGA 3.5mm Audio
Warranty	3 Years	3 Years	3 Years

See Product Page


harman/kardon

Viewsonic
Projectors

Why ViewSonic **150**

Large Venue 152
Business/Education 168
Home 180
Portable 192

ViewSonic
Projectors

ViewSonic offers a comprehensive range of projectors designed to suit every need from home entertainment and business/education presentations to large-venue installations. With a variety of throw ratios, brightness levels, and projection technologies, ViewSonic projectors deliver exceptional performance and adaptability for any space.

Large Venue

Professional grade performance with flexible installation



Business/Education

Long term reliable performance to increase engagement



Home

For cinema lovers, gamers and everything family night



Portable

Take the big-screen on the go



Why Choose ViewSonic Projectors?

Options for Every Need

With DLP and 3LCD options, laser and LED light sources, and flexible standard, short or ultra-short throw designs, ViewSonic has a projector to meet every need.

Low Ownership Cost

Enjoy long-lasting performance with laser and LED light sources offering up to 30,000 hours of lifespan, reducing maintenance plus competitive pricing.

Warranty & Support

We stand behind our products with a comprehensive warranty programme. With up to 5 years cover on laser models through our warranty extension program.

Performance & Visuals

ViewSonic projectors provide an outstanding viewing experience with up to 8000 ANSI Lumens brightness and 4K UHD resolution options.

Smart Simple Setup

With intuitive setup options like auto keystone, 4 corner adjustments and more, enjoy a smooth, hassle-free set-up experience with an image that perfectly fit your screen or space.


1
Par 4 HCP. 1
403 Yards
Jason
Johny
Alice
Lilya

Large Venue
Projectors

Why ViewSonic **154**

Large Venue / Installation Range
Ultra Short Throw 156
Short Throw 157
Standard Throw 159

Comparison **166**

Large Venue
Projectors

ViewSonic Large Venue Projectors deliver powerful brightness, flexible installation, and professional-grade performance for any large-scale venue. Designed for auditoriums, lecture halls, museums, congregational spaces and corporate environments.



Laser DLP

Why Choose Our Large Venue projectors?

Bright Projection

With brightness levels of up to 8,000 ANSI Lumens, ViewSonic installation projectors deliver clear and vivid images even in large or well-lit indoor spaces.

Long-Lifespan Laser

Powered by advanced laser light sources with up to 30,000 hours of maintenance-free operation, eliminating the need for lamp replacements.

Throw Options

With ultra-short throw, short throw and standard throw options, the ViewSonic range offers adaptability to achieve optimal image size and placement in any installation scenario.

Installation Flexibility

Engineered for versatile setups, most installation projectors support 360-degree projection and portrait mode, with advanced features like lens shift, edge blending, warping for a perfect setup.

Warranty & Support

ViewSonic backs its installation projectors with a comprehensive 3 to 5-year warranty, delivering peace of mind and dependable service for long-term professional use.

Large Venue

DLP Projector
LS832WU

Ultra Short Throw



Laser DLP

Bright & Crisp

WUXGA Resolution
5000 ANSI Lumens

24/7 Operation

Advanced cooling design enables 24/7 operation without quality or performance degradation

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	0.253
Optical Zoom	✖
Warping	✖
Keystone (H,V)	±10°, ±10°
Edge Blending	✖
Lens Shift (H,V)	✖

USB-B x1	3.5mm x1	Mic In x1	LAN x1	
HDMI 2.0 x2	USB-A x1	RS232 x1	Computer In x1	Monitor Out x1

Large Venue

Short Throw

3LCD Projector
LSC601WU-ST



Laser 3LCD

360° PROJECTION

Bright & Crisp

WUXGA Resolution
6000 ANSI Lumens

HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	0.44
Optical Zoom	✖
Warping	✔
Keystone (H,V)	±15°, ±15°
Edge Blending	✖
Lens Shift (H,V)	✖

HDMI 1.4 x2	RS232 x1	Computer In x1	Monitor Out x1	USB-B x1
3.5mm AV x1	3.5mm x1	USB-A x1	LAN x1	HDBaseT x1

Large Venue

DLP Projector
LS921WU

Short Throw



Laser DLP

360° PROJECTION

Bright & Crisp

WUXGA Resolution
6000 ANSI Lumens

Colour Range

SuperColor™ Technology displays a wide colour range in both bright and dark environments

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management


Throw Ratio	0.81-0.89
Optical Zoom	1.1x
Warping	✖
Keystone (H,V)	±40°, ±40°
Edge Blending	✖
Lens Shift (H,V)	±23%, ±50%

HDMI 2.0 x1	USB-A x1	Computer In x1	LAN x1	HDBaseT x1
3.5mm x1	RS 232 x1	Composite x1	3D VESA x1	S-Video x1

Large Venue

Standard Throw

DLP Projector
LS741HD



Laser DLP

360° PROJECTION

Bright & Crisp

Full HD Resolution
5000 ANSI Lumens

24/7 Operation

Advanced cooling design enables 24/7 operation without quality or performance degradation

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.4-2.24
Optical Zoom	1.6x
Warping	✖
Keystone (H,V)	±30°, ±30°
Edge Blending	✖
Lens Shift (H,V)	✖

HDMI 1.4 x2	RS232 x1	USB-A x1
USB-B x1	3.5mm x1	LAN x1

Large Venue

DLP Projector
LSD500HD

Standard Throw



Laser DLP

360° PROJECTION

Bright & Crisp

Full HD Resolution
5500 ANSI Lumens

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

LAN Control

Certified for Crestron and Q-SYS and compatible with AMX, PJ Link, ATEN and Extron systems

Throw Ratio	1.13-1.47
Optical Zoom	1.3x
Warping	✖
Keystone (H,V)	±30°, ±30°
Edge Blending	✖
Lens Shift (H,V)	✖

HDMI 2.0 x2 | 3.5mm x1 | RS 232 x1

USB-A x1 | LAN x1

Large Venue

DLP Projector
LS901-4K

Standard Throw



Laser DLP

360° PROJECTION

Bright & Crisp

4K Resolution
5500 ANSI Lumens

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.2-2.04
Optical Zoom	1.7x
Warping	✔
Keystone (H,V)	±30°, ±30°
Edge Blending	✖
Lens Shift (H,V)	-21%, 0%

HDMI 2.0 x2 | 3.5mm x1 | RS 232 x1

USB-A x1 | LAN x1

Large Venue

DLP Projector
LSD600W

Standard Throw



Laser DLP

360° PROJECTION

Bright & Crisp

WXGA Resolution
6000 ANSI Lumens

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

24/7 Operation

Advanced cooling design enables 24/7 operation without quality or performance degradation

Throw Ratio	1.18-1.54
Optical Zoom	1.3x
Warping	✖
Keystone (H,V)	±30°, ±30°
Edge Blending	✖
Lens Shift (H,V)	✖

HDMI 1.4 x2	RS232 x1	USB-A x1	3.5mm x1

Large Venue

Standard Throw

DLP Projector
LS901HD



Laser DLP

360° PROJECTION

Bright & Crisp

Full HD Resolution
6000 ANSI Lumens

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.2-2.04
Optical Zoom	1.7x
Warping	✖
Keystone (H,V)	±30°, ±30°
Edge Blending	✖
Lens Shift (H,V)	-21%, 0%

HDMI 1.4 x1	3.5mm x1	USB-A x1
HDMI 2.0 x1	RS 232 x1	LAN x1

Large Venue

Standard Throw

3LCD Projector
LSC601WU



Laser 3LCD

360° PROJECTION

Bright & Crisp

WUXGA Resolution
6000 ANSI Lumens

HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.08-1.76
Optical Zoom	1.6x
Warping	✔
Keystone (H,V)	±30°, ±30°
Edge Blending	✖
Lens Shift (H,V)	+21%, -21% | +45%, 0%

HDMI 1.4 x2	RS232 x1	Monitor Out x1	Computer In x1	
USB-A x1	3.5mm x1	USB-B x1	LAN x1	HDBaseT x1

Large Venue

Standard Throw

3LCD Projector
LSC731WU



Laser 3LCD

360° PROJECTION

Bright & Crisp

WUXGA Resolution
7300 ANSI Lumens

HDBaseT

Receive uncompressed high-resolution video and audio over long distances with a Cat.5e/6 cable

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

Throw Ratio	1.2-2.0
Optical Zoom	1.6x
Warping	✔
Keystone (H,V)	±25°, ±30°
Edge Blending	✔
Lens Shift (H,V)	+29%, -29% | +60%, 0%

RS232 x1 · Monitor Out x1 · Computer In x1 · USB-A x1 · HDMI 1.4 x2

USB-B x1 · 3.5mm x1 · LAN x1 · HDBaseT x1

Large Venue
Comparison






	LS832WU	LSC601WU-ST	LS921WU	LS741HD
	Ultra Short Throw	Short Throw		Standard Throw
Brightness (Lumens)	5000 ANSI	6000 ANSI	6000 ANSI	5000 ANSI
Size	80"-170"	55"- 180"	60"-200"	30"-300"
Resolution	1920x1200 WUXGA	1920x1200 WUXGA	1920x1200 WUXGA	1920x1080 Full HD
Light Source	Laser	Laser	Laser	Laser
Technology	DLP	3LCD	DLP	DLP
Throw Ratio	0.253	0.44	0.81-0.89	1.4-2.24
Refresh Rate	24-85Hz	23-85Hz	23-120Hz	24-120Hz
Optical Zoom	✗	✗	1.1x	1.6x
Keystone	✓	✓	✓	✓
Lens Shift	✗	✗	✓	✗
Warping	✗	✓	✗	✗
Edge Blending	✗	✗	✗	✗
360° Projection	✓	✓	✓	✓
Connectivity	USB-A x1 USB-B x1 HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -	USB-A x1 USB-B x1 HDBaseT - 3.5mm AV - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B - HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B x1 HDBaseT - DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite x1
Warranty	5 Years*	3 Years	5 Years*	5 Years*

*3-years standard with 5-year once registered to our website within 90 days

See Product Page






	LSD500HD	LS901-4K	LSD600W	LS901HD
	Standard Throw			
Brightness (Lumens)	5500 ANSI	5500 ANSI	6000 ANSI	6000 ANSI
Size	30"-300"	30"-300"	30"-300"	30"-300"
Resolution	1920x1080 Full HD	3840x2160 4K	1280x800 WXGA	1920x1080 Full HD
Light Source	Laser	Laser	Laser	Laser
Technology	DLP	DLP	DLP	DLP
Throw Ratio	1.13-1.47	1.2-2.04	1.18-1.54	1.2-2.04
Refresh Rate	24-120Hz	23-240Hz	24-120Hz	23-120Hz
Optical Zoom	1.3x	1.7x	1.3x	1.7x
Keystone	✔	✔	✔	✔
Lens Shift	✖	✔	✖	✔
Warping	✖	✔	✖	✖
Edge Blending	✖	✖	✖	✖
360° Projection	✔	✔	✔	✔
Connectivity	USB-A x1 USB-B - HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B - HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B - HDBaseT - DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1 Computer In - Monitor Out - Composite -	USB-A x1 USB-B x1 HDBaseT x1 DP x1 HDMI x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -
Warranty	3 Years	5 Years*	3 Years	5 Years*

*3-years standard with 5-year once registered to our website within 90 days

See Product Page

Large Venue
Comparison





	LSC601WU	LSC731WU
Brightness (Lumens)	6000 ANSI	7300 ANSI
Size	30"-300"	30"-300"
Resolution	1920x1200 WUXGA	1920x1200 WUXGA
Light Source	Laser	Laser
Technology	3LCD	3LCD
Throw Ratio	1.08-1.76	1.2-2.0
Refresh Rate	24-85Hz	23-85Hz
Optical Zoom	1.6x	1.6x
Keystone	✔	✔
Lens Shift	✔	✔
Warping	✔	✔
Edge Blending	✖	✔
360° Projection	✔	✔
Connectivity	USB-A x1 USB-B x1 HDBaseT x1 DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -	USB-A x1 USB-B x1 HDBaseT x1 DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1 Composite -
Warranty	3 Years	3 Years

See Product Page



Business/Education
Projectors

Why ViewSonic 192

Business/Education Range
Short Throw
Standard Throw

Comparison 200

Business/Education
Projectors

ViewSonic Business and Education Projectors are designed to make every presentation and lesson more engaging and impactful. Whether in a boardroom or a classroom, ViewSonic projectors deliver brilliant performance, versatility, and long-term value.



Why Choose our Business/Education Projectors?



Cost-Effective Performance

Outstanding cost efficiency with energy-efficient light sources and minimal maintenance requirements make ViewSonic projectors a smart investment for businesses and schools.



Long-Lasting Laser

Powered by advanced laser light sources with up to 30,000 hours of maintenance-free operation, eliminating the need for lamp replacements.



Throw Options

From short throw models ideal for classrooms and meeting rooms to standard throw projectors for larger spaces, ViewSonic provides options to suit any room layout or presentation need.



Warranty & Support

ViewSonic backs its installation projectors with a comprehensive 3-year warranty, delivering peace of mind and dependable service for long-term professional use.

Business/Education

Short Throw

LED DLP Projector
LSD300W-ST



LED DLP

Bright & Crisp

WXGA Resolution
3300 ANSI Lumens

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

Throw Ratio	0.49
Optical Zoom	✖
Warping	✖
Keystone (H,V)	±40°, ±40°
4-Corner Adjustment	✔

HDMI 1.4 x1
RS232 x1
USB-A x1
3.5mm x1
LAN x1
Monitor Out x1
Computer In x1

*Computer In x1, Monitor Out x1

Business/Education

Short Throw

DLP Projector
LSD400HD-ST



Laser DLP

Bright & Crisp

Full HD Resolution
4000 ANSI Lumens

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

Throw Ratio	0.5
Optical Zoom	✖
Warping	✖
Keystone (H,V)	±15°, ±15°
4-Corner Adjustment	✔

HDMI 2.0 x2
RS232 x1
USB-A x1
3.5mm x1
LAN x1

Business/Education Standard Throw

DLP Projector
LSD400W



Laser DLP

Bright & Crisp

WXGA Resolution
4000 ANSI Lumens

360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

Throw Ratio	1.544-1.72
Optical Zoom	1.1x
Warping	✖
Keystone (H,V)	±30°, ±30°
4-Corner Adjustment	✔

HDMI 1.4 x2	3.5mm x1	RS232 x1	USB-A x1

Business/Education Standard Throw

DLP Projector
LSD400HD



Laser DLP

Bright & Crisp

Full HD Resolution
4000 ANSI Lumens

360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

Throw Ratio	1.48-1.62
Optical Zoom	1.1x
Warping	✖
Keystone (H,V)	±30°, ±30°
4-Corner Adjustment	✔

HDMI 2.0 x2	3.5mm x1	RS232 x1	USB-A x1

Business/Education Standard Throw

DLP Projector
LSD401HD



Laser DLP

Bright & Crisp

Full HD Resolution
4000 ANSI Lumens

LAN Control

Compatible with Crestron, AMX, PJ Link, ATEN, and Extron systems for centralised management

360° Projection

Rotate vertically at any angle plus portrait mode for more creative applications

Throw Ratio	1.13-1.47
Optical Zoom	1.3x
Warping	✖
Keystone (H,V)	±30°, ±30°
4-Corner Adjustment	✔

HDMI 2.0 x2
RS232 x1
USB-A x1
3.5mm x1
LAN x1



Business/Education

Comparison





	LSD300W-ST	LSD400HD-ST
	Short Throw	
Brightness (Lumens)	3300 ANSI	4000 ANSI
Size	60"-300"	40"-300"
Resolution	1280x800 WXGA	1920x1080 Full HD
Light Source	LED	Laser
Technology	DLP	DLP
Throw Ratio	0.49	0.5
Refresh Rate	23-120Hz	24-120Hz
Optical Zoom	✖	✖
Keystone	✔	✔
4 Corner Adjustment	✔	✔
Warping	✖	✖
360° Projection	✔	✔
Connectivity	USB-A x1 USB-B - USB-C - HDBaseT - DP - HDMI 1.4 x1 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In x1 Monitor Out x1	USB-A x1 USB-B - USB-C - Cat5e - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out -
Warranty	3 Years	3 Years

See Product Page







	LSD400W	LSD400HD	LSD401HD
	Standard Throw		
Brightness (Lumens)	4000 ANSI	4000 ANSI	4000 ANSI
Size	30"-300"	30"-300"	30"-300"
Resolution	1280x800 WXGA	1920x1080 Full HD	1920x1080 Full HD
Light Source	Laser	Laser	Laser
Technology	DLP	DLP	DLP
Throw Ratio	1.544-1.72	1.48-1.62	1.13-1.47
Refresh Rate	24-120Hz	24-120Hz	24-120Hz
Optical Zoom	1.1x	1.1x	1.3x
Keystone	✔	✔	✔
4 Corner Adjustment	✔	✔	✔
Warping	✖	✖	✖
360° Projection	✔	✔	✔
Connectivity	USB-A x1 USB-B - USB-C - HDBaseT - DP - HDMI 1.4 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1 Computer In - Monitor Out -	USB-A x1 USB-B - USB-C - HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1 Computer In - Monitor Out -	USB-A x1 USB-B - USB-C - HDBaseT - DP - HDMI 2.0 x2 RS232 x1 RJ45 LAN x1 3.5mm Audio x1 Computer In - Monitor Out -
Warranty	3 Years	3 Years	3 Years

See Product Page


Season 2 4K
Comic Comrades
The Laughter League
Play
New Releases
Frozen Thrills
Breaze
The Big Bang
Forest
Pet Care Chronicles
ViewSonic

Home
Projectors

Why ViewSonic **184**


Gaming 186
Google TV 206
Sports 208
Entry Range 209

Comparison **210**

Home
Projectors

Transform your living room into a true cinema experience with ViewSonic's line of home entertainment projectors. Designed for movie lovers, gamers, and families. We deliver exceptional visuals, convenience and style.

X2-4KE Pro



DESIGNED FOR XBOX

SOUND BY harman/kardon

Google TV

Why Choose our Home Projectors?

Budget & Lifestyle

From affordable Full HD to premium 4K with built-in Harman Kardon speakers options, we bring the cinematic experience to every home and budget.

Smart Connectivity

Enjoy effortless streaming and sharing with built-in Google TV, Wi-Fi, and Bluetooth on select models. Alternatively, connect ViewSonic wireless dongle for quick, cable-free screen mirroring.

Fast Refresh Rate

Designed for entertainment lovers, experience smooth blur-free motion for Sports, Movies, and Gaming with high refresh rate on most of our home projectors.


Warranty & Support

ViewSonic backs its installation projectors with a comprehensive 3 -year warranty, delivering peace of mind and dependable service for long-term use.

Home

LED Projector
X1-4KE Pro

Gaming



LED DLP

DESIGNED FOR XBOX

SOUND BY harman/kardon

Google TV

Dynamic Image

4K HDR Resolution
3300 LED Lumens

High Refresh Rate

Experience fast 240Hz @1080p or balanced 120Hz @1440p with fast 4.2ms response time

Wireless Casting

Cast or mirror content from your devices and connect to your Bluetooth headphones


Throw Ratio	1.15-1.5
Optical Zoom	1.3x
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✔
Smart Connectivity	Google TV

HDMI 2.0 x2	RS232 x1	3.5mm x1
USB-A x1	USB-C x1	

Home

LED Projector
X2-4KE Pro

Gaming



LED DLP

DESIGNED FOR XBOX

SOUND BY harman/kardon

Google TV

Dynamic Image

4K HDR Resolution
3700 ANSI Lumens

High Refresh Rate

Experience fast 240Hz @1080p or balanced 120Hz @1440p with fast 4.2ms response time

Wireless Casting

Cast or mirror content from your devices and connect to your Bluetooth headphones

Throw Ratio	0.69-0.83
Optical Zoom	1.2x
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✔
Smart Connectivity	Google TV

HDMI 2.0 x2 | RS232 x1 | 3.5mm x1

USB-A x1 | USB-C x1

Home

Laser Projector
LX720-4KB



Laser DLP

Google TV

Dynamic Image

4K HDR Resolution
3500 ANSI Lumens

High Refresh Rate

Experience fast 240Hz @1080p with 1ms ultra-fast input

Wireless Casting

Cast or mirror content from your devices and connect to your Bluetooth headphones

Throw Ratio	1.13-1.46
Optical Zoom	1.3x
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✔
Smart Connectivity	Google TV

HDMI 2.0 x2	RS232 x1	3.5mm x1	USB-A x1

Home

Laser Projector
LX750-4KB



Laser DLP

Google TV

Dynamic Image

4K HDR Resolution
4000 ANSI Lumens

High Refresh Rate

Experience fast 240Hz @1080p with 1ms ultra-fast input

Wireless Casting

Cast or mirror content from your devices and connect to your Bluetooth headphones

Throw Ratio	1.13-1.46
Optical Zoom	1.3x
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✔
Smart Connectivity	Google TV

HDMI 2.0 x2 | RS232 x1 | 3.5mm x1 | USB-A x1

Home

Lamp Projector
PX701-4K



Lamp DLP

Dynamic Image

4K HDR Resolution
3200 ANSI Lumens

Colour Range

SuperColor™ Technology displays a wide colour range in both bright and dark environments

High Refresh Rate

Experience up to 240hz @1080p with 4.2 ms response time for a flexible home setup

Throw Ratio	1.5-1.65
Optical Zoom	1.1x
Keystone (H,V)	±40°, ±40°
4 Corner Adjustment	✔
Smart Connectivity*	✖

HDMI 2.0 x2	USB-A x1	RS232 x1	3.5mm x1

*Compatible with ViewSonic ViewShare. Find on p.210 (sold separately)

Home

Lamp Projector
PX704HD



Lamp DLP

Dynamic Image

Full HD Resolution
4000 ANSI Lumens

Colour Range

SuperColor™ Technology displays a wide colour range in both bright and dark environments

High Contrast

High native contrast ratio powered by a 0.65” DMD chip

Throw Ratio	1.48-1.62
Optical Zoom	1.1x
Keystone (H,V)	0°, ±40°
4 Corner Adjustment	✖
Smart Connectivity*	✖

HDMI 1.4 x2	USB-A x1	RS232 x1	3.5mm x1

*Compatible with ViewSonic ViewShare. Find on p.210 (sold separately)

Home
Comparison






	X1-4KE Pro	X2-4KE Pro	LX720-4KB	LX750-4KB
	Gaming		Home Entertainment	
Brightness (Lumens)	3300 LED	3300 LED	3500 ANSI	4000 ANSI
Size	60"-150"	60"-120"	60"-300"	60"-300"
Resolution	3840x2160 4K	3840x2160 4K	3840x2160 4K	3840x2160 4K
Light Source	LED	LED	Laser	Laser
Technology	DLP	DLP	DLP	DLP
Throw Ratio	1.15-1.5	0.69-0.83	1.13-1.46	1.13-1.46
Keystone	✔	✔	✔	✔
4 Corner Adjustment	✔	✔	✔	✔
Built-in Google TV	✔	✔	✔	✔
Smart Connectivity	Wifi | Bluetooth	Wifi | Bluetooth	Wifi | Bluetooth	Wifi | Bluetooth
Optical Zoom	1.3x	1.2x	1.3x	1.3x
Connectivity	USB-A x1 USB-B - USB-C x1 HDBaseT - HDMI 2.0 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1	USB-A x1 USB-B - USB-C x1 HDBaseT - HDMI 2.0 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1	USB-A x1 USB-B - USB-C - HDBaseT - HDMI 2.0 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1	USB-A x1 USB-B - USB-C - HDBaseT - HDMI 2.0 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1
Refresh Rate	23-240Hz	23-240Hz	23-240Hz	23-240Hz
Warranty	3 Years	3 Years	3 Years	3 Years

See Product Page





PX701-4K

PX704HD

Home Entertainment

	PX701-4K	PX704HD
Brightness (Lumens)	3200 ANSI	4000 ANSI
Size	30″-300″	30″-300″
Resolution	3840x2160 4K	1920x1080 Full HD
Light Source	Lamp	Lamp
Technology	DLP	DLP
Throw Ratio	1.5-1.65	1.48-1.62
Keystone	✔	✔
4 Corner Adjustment	✔	✖
Built-in Google TV	✖	✖
Smart Connectivity	✖ ViewShare*	✖ ViewShare*
Optical Zoom	1.1x	1.1x
Connectivity	USB-A x1 USB-B - USB-C - HDBaseT - HDMI 2.0 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1	USB-A x1 USB-B - USB-C - HDBaseT - HDMI 1.4 x2 RS232 x1 RJ45 LAN - 3.5mm Audio x1
Refresh Rate	23-240Hz	23-120Hz
Warranty	3 Years	3 Years

*This projector doesn't have smart connectivity but wireless casting is available by pairing it with our ViewShare casting kit (p.210) sold separately

See Product Page



Portable
Projectors

Why ViewSonic **214**

Essential 216
Google TV 217

Comparison **218**

Portable
Projectors

Perfect for entertainment on the go, ViewSonic portable projectors bring big-screen experiences wherever you are. Move them easily from room to room at home, or take them on your travels to transform your hotel room, camper van, or outdoor setup into your own personal cinema.



SOUND BY harman/kardon

Google TV

Why Choose our Portable Projectors?

Wireless Connectivity

Go wireless with built-in Wi-Fi, Bluetooth and cast or mirror view anywhere. Stream anywhere with the M1E Max featuring built-in Google TV.

Smart Simple Setup

Built-in smart functions to setup easily on the go with keystone, 4 corner adjustment and auto focus on the M1E Max.

Compact Design

Our Portable Projectors have a low profile and lightweight design under 1 kg for easy on the go activity.

360° Flexibility

Featuring an innovative 360-degree stand, our award winning design let's you project on walls, ceilings, or any flat surface.

Battery On-the-Go

Built-in battery that supports hours of playtime and 45W USB-C charging with power bank compatibility for extended use.

Portable

LED Projector
M1XE

Essential



LED

TÜV SÜD

DESIGN AWARD 2023

SOUND BY harman/kardon

Dynamic Image

WVGA Resolution
360 LED Lumens

Wireless Casting

Cast or mirror content from your devices and connect to your Bluetooth headphones

USB-C Charging

Charge and Stream via USB-C with 45W output power bank compatibility

Edge Blending	✕
Warping	✕
Throw Ratio	1.2
Optical Zoom	✕
Keystone (H,V)	±40°, ±40°
Lens Shift (V,H)	✕

HDMI 1.4 x1	USB-A x1	USB-C x1	3.5mm x1

Portable

LED Projector
M1E Max

Google TV



LED

TÜV SÜD

Google TV

SOUND BY harman/kardon

Dynamic Image

Full HD Resolution
500 LED Lumens

Auto Focus

Accurate focus on any surface with (ToF) technology & auto keystone 4 corner adjustment

USB-C Charging

Charge and Stream via USB-C with 45W output power bank compatibility

Edge Blending	✖
Warping	✖
Throw Ratio	1.2
Optical Zoom	✖
Keystone (H,V)	±40°, ±40°
Lens Shift (V,H)	✖

HDMI 1.4 x1	USB-A x1	USB-C x1	3.5mm x1

Portable
Comparison



M1XE
Essential



M1E MAX
Google TV

	M1XE Essential	M1E MAX Google TV
Brightness (Lumens)	360 LED	500 LED
Size	24″-100″	40″-100″
Resolution	854x480 WVGA	1920x1080 Full HD
Light Source	LED	LED
Technology	DLP	DLP
Throw Ratio	1.2	1.2
Keystone	✔	✔
4 Corner Adjustment	✔	✔
360° Projection	✔	✔
Built-in Google TV	✔	✔
Smart Connectivity	Wifi | Bluetooth	Wifi | Bluetooth
Weight	0.8kg	0.96kg
Dimensions	355 x 244 x 121mm	355 x 251 x 121mm
Connectivity	USB-A x1 USB-B - USB-C x1 HDBaseT - DP - HDMI 1.4 x1 RS232 - RJ45 LAN - 3.5mm Audio x1	USB-A x1 USB-B - USB-C x1 HDBaseT - DP - HDMI 1.4 x1 RS232 - RJ45 LAN - 3.5mm Audio x1
Battery Life	2.5 hours	1.5 hours
Warranty	3 Years	3 Years

See Product Page



SIDNEY SHELDON
BLOODLINE
LIMEO
LOFTS
INTERIOR DESIGN


Hey

Software

Software Overview

Large Format Displays



Tools For Everyone

Empowering users with innovative, flexible tools that boost engagement, promote collaboration and simplify presentations.

ViewSonic Software ensures seamless cross-device compatibility, delivering a consistent interactive experience no matter the space.

myViewBoard

Instant Digital Whiteboarding

Manager

Remote Device Manager

AirSync

Wireless Content Sharing



myViewBoard

Create inclusive, productive presentations with software that's adaptable to all styles and levels. myViewBoard provides powerful collaboration and whiteboarding tools that bring materials to life and foster engagement and interaction.

Manager

Reduce IT admin workload and enhance resource allocation with Manager, a centralised platform that streamlines device and app management, troubleshooting and campus communication across ViewSonic displays.

AirSync

Cast to your ViewSonic ViewBoards and non-touch displays from up to 10 devices (varying per model), including Macbook, iPad, Windows laptop, or Android tablets and devices. Make use of built-in support for AirPlay, Miracast, and Google Cast.



Accessories
For Display Solutions

Camera & Accessories	214
Casting Dongle	216
Slot-in-PCs	218
ViewBoard Pens	220
Floor Stands	222
Mounts	224

Camera & Accessories

All-in-One Camera, Mic & Mount

Delivering 4K UHD clarity, a 121° wide-angle lens, and intelligent voice tracking, this all-in-one conference camera ensures every voice is heard. The built-in 4 mic-array with 4 metre range and acoustic echo cancellation, noise suppression and automatic gain control for crystal-clear audio.



VB-CAM-201-2

zoom Certified

Wide Lens

Capture all participants with the 121° lens

Live Mosaic View

Creates a mosaic of up to 8 participants live

Auto Narrator Lock

Automatically locks camera on the narrator

Speakers	Stereo
Microphone	4-Array
Resolution	4K UHD
Digital Zoom	x5



VB-MIC-201

Mic Extension

Extends Mic Range by 2 Metres

Camera Mount

Secures Camera Above Display*



VB-WMK-002

*Compatible with VB-CAM-201-2. Mic and mount sold separately

ViewShare
Wireless Casting Kit
WPD-900

Supporting over 90% of devices, it enables seamless casting via peer-to-peer connection, Miracast, and iOS/macOS screen mirroring, providing exceptional flexibility. Connect and charge their devices simultaneously via USB-C with 60W capacity.



DESIGN AWARD 2025

Secure Wireless

Peer-to-Peer network connection with no Wi-Fi or app required

Presenter Switch

Switch between 8 participants with one click

Mirror or Extend

Miracast, Windows/iOS/macOS mirroring or extend

Resolution	1080p
Range	30m
Charge Through	60W USB-C
DRM Compatible	✔
Compatibility*	ViewBoard | CDE | All-in-One LED | Monitor | Projector

*Only compatible with displays that have USB-A power and HDMI ports


ViewSonic

Slot-in-PCs



	VPC37-W53-G1	VPC35-W53-G1	VPCF5-W55-G1-2A
OS Version	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
CPU	Intel i7 Gen 12	Intel i5 Gen 12	Intel i5 Gen 12
EDLA	✖	✖	✖
Storage	256GB SSD	256GB SSD	512GB SSD
RAM	16GB DDR4	16GB DDR4	16GB DDR4
See Product Page			



	VPC11-C33-G1	VPC13-C33-G1	VPC15-C53-G1
OS Version	Chrome	Chrome	Chrome
CPU	Intel Celeron 7350E	Intel i3 Gen 13	Intel i5 Gen 13
EDLA	✖	✖	✖
Storage	256GB SSD	256GB SSD	256GB SSD
RAM	8GB DDR4	8GB DDR4	16GB DDR4
See Product Page			



		UEFI SHELL
	VPC-A31-01	VPCF5-S55-G1-2A
OS Version	Android 13	UEFI Shell
CPU	MediaTek MT8195	Intel i5 Gen 12
EDLA	✔	✖
Storage	128GB SSD	512GB SSD
RAM	8GB DDR4	16GB DDR4

See Product Page

ViewBoard Pens

Passive

VB-PEN-002



- Dual pen tips
- 3mm & 9mm
- Changeable pen tips
- Magnetic material
- Antibacterial coating

Compatible with:

- All Viewboards except IFP63

VB-PEN-009



- Dual pen tips
- 3mm & 9mm
- Changeable pen tips
- Magnetic material

Compatible with:

- All ViewBoards except IFP63

VB-PEN-101-1C



- Dual pen tips
- 3mm & 9mm
- Changeable pen tips
- Magnetic material

Compatible with:

- All Viewboards except IFP63

VB-PEN-101-2C



- Dual pen tips
- 3mm & 9mm
- Changeable pen tips
- Magnetic material

Compatible with:

- All ViewBoards

Active

VB-PEN-010




- Multi-colour pen
- Dual pen tips
- 10 day battery life

Compatible with:

- IFP53




Floor Stands



VB-STND-104

Motorised & Height adjustable

Size Support	55”-86”
Max Weight	75kg
Vesa Mount	800 x 600mm
Tilt	✖
Adjustment Range	650mm
Compatibility	ViewBoard & CDE



VE-MT-001


Optional Mobile Kit for VB-STND-104



VB-STND-009

Low Profile Trolley

Size Support	55”-105”
Max Weight	120kg
Vesa Mount	1000 x 600mm
Tilt	✖
Compatibility	ViewBoard & CDE



VB-STND-001-2C

Platform Trolley

Size Support	55”-98”
Max Weight	100kg
Vesa Mount	400 x 200-900 x 600mm
Tilt	✖
Compatibility	ViewBoard & CDE




LD-STND-009

All-in-One LED Trolley


Size Support	136”-163”
Max Weight	180kg
Dimensions	2349 x 2043 x 825mm
Tilt	✖
Compatibility	LED Displays

Wall Mounts




VB-WMK-001-2C

Supported Sizes	55”-98”
Max Weight	125kg
Vesa Mount	900 x 600mm
Dimensions	960 x 650 x 51.7mm
Compatibility	ViewBoard & CDE



VB-WMK-003

Supported Sizes	65”-105”
Max Weight	150kg
Vesa Mount	1000 x 600mm
Dimensions	1260 x 650 x 45mm
Compatibility	ViewBoard & CDE



VB-WMK-004

Supported Sizes	75”-110”
Max Weight	360kg
Vesa Mount	1000 x 800mm
Dimensions	1110 x 885.8 x 43.5mm
Compatibility	ViewBoard & CDE



Recycling Scheme

ViewSonic®

We're WEEE Compliant

We follow the European regulations for waste electrical and electronic equipment (WEEE). This means we'll collect your old tech for free so it can be recycled and disposed of safely, saving you time and money, as well as working towards a greener planet.

Our Product Recyclability

ViewSonic achieves a remarkable rate of 70% product reuse and recyclables and 80% product recovery across product ranges. This puts us on track to greatly exceed the European Union's WEEE goal for 65% of e-waste to be recycled by 2030.



Eco Packaging

97% of packaging is fully recyclable & 67% is made from recycled material.



Recyclable Material

Most ViewSonic products have over 90% recyclability, including IFP8633 with 99%.



WEEE Compliant

We participate in recycling schemes in 12 European countries.

Ready to Recycle Your Old Tech?

Complete our simple online form to request a collection for your old tech.

Got questions?
Contact sales-uk@viewsonic.com

Request a Collection



IFP8633



ViewSonic®

Miles Yard
10 Miles Street
London
SW8 1GX
United Kingdom

+44 20 7382 8250
sales-uk@viewsonic.com

Visit Us

www.viewsonic.com/uk

Lifespan and power consumption may vary based on actual usage and other factors. Specifications and availability are subject to change without written notice. Corporate names and trademarks are the property of their respective companies. All Images are for illustrative purpose only.

Copyright © 2025. ViewSonic Europe Ltd. All rights reserved.