

Màn hình 22" 1080p cho gia đình và văn phòng

ViewSonic® See the difference™ 

VA2223-A



- Cổng kết nối VGA
- Công nghệ bảo vệ mắt: Chống nhấp nháy và bộ lọc ánh sáng xanh
- Treo tường VESA
- Công nghệ ViewMode độc quyền
- Chế độ tiết kiệm điện

ViewSonic VA2223-A là màn hình 22" Full HD có cổng kết nối VGA, phù hợp cho làm việc văn phòng hoặc gia đình. Màn hình có độ phân giải 1080p mang lại chất lượng hình ảnh tuyệt đẹp và nội dung chi tiết. Tính năng ViewMode độc quyền của ViewSonic cung cấp các cài đặt hình ảnh có sẵn mang lại hiệu suất màn hình được tối ưu hóa trong các ứng dụng khác nhau. Bên cạnh đó, công nghệ Chống nhấp nháy và Bộ lọc ánh sáng xanh giúp loại bỏ hiện tượng mỏi mắt khi làm việc lâu trước màn hình máy tính. Giá treo tường VESA giúp dễ dàng với các thiết lập đa màn hình hoặc treo tường.

Tăng Cường Trải Nghiệm Cùng ViewMode

ViewSonic's ViewMode bao gồm các cài đặt trước "Trò chơi", "Phim", "Web", "Văn bản", "Mono" và "Mac" được tối ưu hóa. Mỗi cài đặt trước cung cấp các cải tiến đặc biệt cho đường cong gamma, nhiệt độ màu, độ tương phản và độ sáng để mang lại trải nghiệm xem tối ưu cho các ứng dụng khác nhau.


ViewMode: Game / Movie / Web / Text / Mono / Mac



Bảo Vệ Đôi Mắt Của Bạn

Công nghệ chống nhấp nháy và Bộ lọc ánh sáng xanh giúp người xem đỡ mỏi mắt khi nhìn màn hình một thời gian dài.


Chống Nhấp Nháy & Lọc Ánh Sáng Xanh



Điện Năng Tiêu Thụ Thấp

Chế độ tiết kiệm năng lượng của màn hình là việc sử dụng năng lượng hiệu quả mà vẫn đảm bảo hiệu năng của màn hình để làm việc.

Chế Độ Tiết Kiệm




Treo Tường VESA

Thoải mái gắn màn hình theo ý muốn của bạn bằng cách sử dụng thiết kế treo tường VESA.

75 mm x 75 mm



Kích Thước & Cổng I/O



1. VESA Compatible
(Wall Mount 75x75mm)
2. Menu Control Panel
3. VGA
4. AC In

Technical Specifications

Display	Display Size (in.)	22
	Viewable Area (in.)	21.5
	Panel Type	TN Technology
	Resolution	1920 x 1080
	Resolution Type	FHD
	Static Contrast Ratio	600:1 (typ)
	Dynamic Contrast Ratio	50M:1
	Light Source	LED
	Brightness	250 cd/m2 (typ)
	Colors	16.7M
	Color Space Support	8 bit (6 bit + Hi-FRC)
	Aspect Ratio	16:9
	Response Time (Typical Tr+Tf)	5ms
	Viewing Angles	90° horizontal, 65° vertical
	Backlight Life (Hours)	30000 Hrs (Min)
	Curvature	Flat
	Refresh Rate (Hz)	60
	Blue Light Filter	Yes
	Flicker-Free	Yes
	Color Gamut	NTSC: 72% size (Typ) sRGB: 102% size (Typ)
Pixel Size	0.248 mm (H) x 0.248 mm (V)	
Surface Treatment	Anti-Glare, Hard Coating (3H)	
Compatibility	PC Resolution (max)	1920x1080
	Mac® Resolution (max)	1920x1080
	PC Operating System	Windows 10 certified
	Mac® Resolution (min)	1920x1080
Connector	VGA	1
	Power in	External power adapter
Power	Eco Mode (Conserve)	18W
	Eco Mode (optimized)	20W
	Consumption (typical)	22W
	Consumption (max)	24W
	Voltage	AC 100-240V, 50/60 Hz
	Stand-by	0.3W
	Power Supply	External
Controls	Physical Controls	Auto, -, +, Menu, Power
	On Screen Display	Auto Image Adjust, Contrast/Brightness, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall
Operating Conditions	Temperature	32°F to 104°F (0°C to 40°C)
	Humidity (non-condensing)	20% to 90%
Wall Mount	VESA Compatible	75 x 75 mm
Input Signal	Frequency Horizontal	24 ~ 82KHz
	Frequency Vertical	50 ~ 75Hz
Video Input	Analog Sync	Separate - RGB Analog

Ergonomics	Tilt (Forward/Back)	-4° / 14°
Weight (imperial)	Net (lbs)	4.6
	Net Without Stand (lbs)	4
	Gross (lbs)	6.6
Weight (metric)	Net (kg)	2.1
	Net Without Stand (kg)	1.8
	Gross (kg)	3
Dimensions (imperial) (wxhxd)	Packaging (in.)	22.1 x 14.4 x 4.3
	Physical (in.)	20.1 x 14.6 x 7.3
	Physical Without Stand (in.)	20.1 x 12.2 x 1
Dimensions (metric) (wxhxd)	Packaging (mm)	562 x 365 x 110
	Physical (mm)	510 x 370 x 185
	Physical Without Stand (mm)	510 x 310 x 25
General	Regulations	RoHS, WEEE, PSB, BIS
	PACKAGE CONTENTS	VA2223-A x1, VGA Cable (Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1, Power plug x2
	Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
	Warranty	*Warranty offered may differ from market to market
	Country Of Origin	China